Index to Volume 51

ABRAMS SR, *see* SCHMITZ N.
ADAMS MA, *see* WARREN CR.
AGHORAM K, OUTLAW JR WH, BATES GW, CAIRNEY J, PINEDA AO, BACOT CM, EPSTEIN LM, LEVENSON CW. *Abg1*: a novel gene up-regulated by abscisic acid in guard cells of *Vicia faba* L. 1479
AGUILAR ML, ESPADAS FL, COELLO J, MAUST BE, TREJO C, ROBERT ML, SANTAMARÍA JM. The role of abscisic acid in control of leaf water loss, survival and growth of micropropagated *Tagetes erecta* plants when transferred directly to the field 1861
ALEXANDER IJ, *see* GENNEY DR.
ALLEN DJ, RATNER K, GILLER YE, GUSSAKOVSKY EE, SHAHAK Y, ORT DR. An overnight chill induces a delayed inhibition of photosynthesis at midday in mango (*Mangifera indica* L.) 1893
ALLEN DK, *see* GRIFFITH GS.
ALMEIDA JPF, HARTWIG UA, FREHNER M, NÖSBERGER J, LÜSCHER A. Evidence that P deficiency induces N feedback regulation of symbiotic N_2 fixation in white clover (*Trifolium repens* L.) 1289
ALONI R, *see* ULLRICH CI.
ALTAMURA MM, *see* FABBRI AA.
ANDERSEN SB, *see* BRISIBE EA.
ANDERSON LE, *see* BRYANT JA.
ANDREWS TJ, *see* RUUSKA SA.
ANGENON G, *see* GOOSSENS A.
APARICIO PJ, *see* GIRÁLDEZ N.
ARO E-M, *see* MÄENPÄÄ P.
ARPAGAUS S, BRAENDLE R. The significance of α-amylase under anoxia stress in tolerant rhizomes (*Acorus calamus* L.) and non-tolerant tubers (*Solanum tuberosum* L., var. Désirée) 1475
ATANASSOVA AI, *see* FOWLER MR.
AVIGNE WT, *see* KOCH KE.
AZCÓN-AGUILAR C, *see* BENABDELLAH K.
BABIYCHUK E, *see* BELLES-BOIX E.
BABOURINA O, *see* SHABALA S.
BACON MA, *see* DAVIES WJ.
BACOT CM, *see* AGHORAM K.
BADGER MR, *see* RUUSKA SA.
BAHRI MH, *see* FORSTER BP.
BAILEY KJ, BATTISTELLI A, DEVER LV, LEA PJ, LEEGOOD RC. Control of C_4 photosynthesis: effects of reduced activities of phosphoenolpyruvate carboxylase on CO_2 assimilation in *Amaranthus edulis* L. 339
BAILLÈRES H, *see* BEISMANN H.
BAKER NR, *see* NOGUÉS S.
BALESTRAZZI A, CHINI A, BERNACCHIA G, BRACCI A, LUCCARINI G, CELLA R, CARBONERA D. Carrot cells contain two *top1* genes having the coding capacity for two distinct DNA topoisomerases I 1979
BALK PA, *see* RIETVELD P.
BANGERTH F, *see* WALCH-LIU P.
BANIK M, *see* BEWLEY JD.
BARALDI R, *see* LOBELLO G.
BARNES J, *see* TURCSÁNYI E.
BARRIEU P, SIMONNEAU T. The monoclonal antibody MAC252 does not react with the (-) enantiomer of abscisic acid 305
BARROWCLOUGH DE, PETERSON CA, STEUDLE E. Radial hydraulic conductivity along developing onion roots 547
BASKIN TI, *see* VAN DER WEELE CM.
BATES GW, *see* AGHORAM K.
BATTEY NH. Aspects of seasonality (Review article)
BATTISTELLI A, *see* BAILEY KJ. 1769
BAUW G, *see* HELLEBOID S.
BAXTER R, *see* PIERCE S.
BECKER C, *see* SCHLERETH A.
BEECKMAN T, *see* DE VEYLDER L.
BEIJERSBERGEN A, *see* SCHRAMMEIJER B.
BEISMANN H, WILHELMI H, BAILLÈRES H, SPATZ H-C, BOGENRIEDER A, SPECK T. Brittleness of twig bases in the genus *Salix:* fracture mechanics and ecological relevance 617
BELLES-BOIX E, BABIYCHUK E, VAN MONTAGU M, INZÉ D, KUSHNIR S. CEF, a Sec24 homologue of *Arabidopsis thaliana*, enhances the survival of yeast under oxidative stress conditions 1761
BEN SALEM M, *see* FORSTER BP.
BENABDELLAH K, AZCÓN-AGUILAR C, FERROL N. Alterations in the plasma membrane polypeptide pattern of tomato roots (*Lycopersicon esculentum*) during the development of arbuscular mycorrhiza 747
BENDEL P, *see* VAN DER TOORN A.
BENJAMIN LR, *see* PEACH L.
BENNINK JP, *see* WEI C.
BERGER S, *see* VUYLSTEKER C.
BERNACCHIA G, *see* BALESTRAZZI A.
BEWLEY JD, BANIK M, BOURGAULT R, FEURTADO JA, TOOROP P, HILHORST HWM. Endo-β-mannanase activity increases in the skin and outer pericarp of tomato fruits during ripening 529
BIDEL LPR, RENAULT P, PAGÈS L, RIVIÈRE LM. Mapping meristem respiration of *Prunus persica* (L.) Batsch seedlings: potential respiration of the meristems, O_2 diffusional constraints and combined effects on root growth 755
BIES-ETHEVE N, *see* VICIENT CM.
BINO RJ, *see* POWELL AA.
BLEIN J-P, *see* KIEFFER F.
BLILOU I, OCAMPO JA, GARCÍA-GARRIDO JM. Induction of *Ltp* (lipid transfer protein) and *Pal* (phenylalanine ammonia-lyase) gene expression in rice roots colonized by the arbuscular mycorrhizal fungus *Glomus mosseae* 1969
BLUMENTHAL JM, *see* SCHOENBECK MA.
BOGEAT-TRIBOULOT MB, *see* COCHARD H.
BOGENRIEDER A, *see* BEISMANN H.
BOHNERT HJ, *see* SHEVELEVA EV.
BONNET M, CAMARES O, VEISSEIRE P. Effects of zinc and influence of *Acremonium lolii* on growth parameters, chlorophyll *a* fluorescence and antioxidant enzyme activities of ryegrass (*Lolium perenne* L. cv. Apollo) 945
BONORA A, PANCALDI S, GUALANDRI R, FASULO MP. Carotenoid and ultrastructure variations in plastids of *Arum italicum* Miller fruit during maturation and ripening 873
BORNMAN JF, *see* OLSSON LC.
BORSTLAP AC, *see* DE JONG A.
BOURGAULT R, *see* BEWLEY JD.

© Society for Experimental Biology 2000

BOUTIN J-P, *see* DRUART N.
BOUTIN J-P, *see* LEMONTEY C.
BOWTELL R, *see* KOROLEV AV.
BOYER JS, *see* PROSEUS TE.
BOZHKOV PV, *see* FILONOVA LH.
BOZZO GG, COLMAN B, MATSUDA Y. Active transport of CO_2 and bicarbonate is induced in response to external CO_2 concentration in the green alga *Chlorella kessleri* 1341
BRACCI A, *see* BALESTRAZZI A.
BRAENDLE R, *see* ARPAGAUS S.
BRAY CM, *see* WATERWORTH WM.
BRICE DC, *see* BRYANT JA.
BRINGMANN G, *see* WOLF K.
BRISIBE EA, GAJDOSOVA A, OLESEN A, ANDERSEN SB. Cytodifferentiation and transformation of embryogenic callus lines derived from anther culture of wheat 187
BRYANT JA, BRICE DC, FITCHETT PN, ANDERSON LE. A novel DNA-binding protein associated with DNA polymerase-α in pea stimulates polymerase activity on infrequently primed templates 1945
BRYCE JH, *see* LOCKE JM.
BUITINK J, *see* SACANDÉ M.
BURBIDGE A, *see* TAYLOR IB.
BURGIN MJ, *see* DE MIGUEL L.
BURNETT EC, DESIKAN R, MOSER RC, NEILL SJ. ABA activation of an MBP kinase in *Pisum sativum* epidermal peels correlates with stomatal responses to ABA 197
BURSTIN J. Differential expression of two barley XET-related genes during coleoptile growth 847
BUTLER ED, GALLAGHER TF. Characterization of auxin-induced *ARRO-1* expression in the primary root of *Malus domestica* 1767
CAIRNEY J, *see* AGHORAM K.
CAKMAK I, WELCH RM, HART J, NORVELL WA, OZTÜRK L, KOCHIAN LV. Uptake and retranslocation of leaf-applied cadmium (^{109}Cd) in diploid, tetraploid and hexaploid wheats 221
CAMARES O, *see* BONNET M.
CAMERA E, *see* FABBRI AA.
CAMPAGNARI E, *see* GUZZO F.
CARBONERA D, *see* BALESTRAZZI A.
CARDONA C, *see* GOOSSENS A.
CARTER CE, SZMIDT-JAWORSKA A, HUGHES M, THOMAS B, JACKSON S. Phytochrome regulation of phytochrome A mRNA levels in the model short-day-plant *Pharbitis nil* 703
CARVAJAL M, *see* CLARKSON DT.
CASAL JJ, *see* DE MIGUEL L.
CASSE F, *see* CELLIER F.
CELLA R, *see* BALESTRAZZI A.
CELLIER F, CONÉJÉRO G, CASSE F. Dehydrin transcript fluctuations during a day/night cycle in drought-stressed sunflower 299
CESCO S, *see* DELL'ORTO M.
CEULEMANS R, *see* DECKMYN G.
CHATEAU S, SANGWAN RS, SANGWAN-NORREEL BS. Competence of *Arabidopsis thaliana* genotypes and mutants for *Agrobacterium tumefaciens*-mediated gene transfer: role of phytohormones 1961
CHAZEN O, *see* MUNNS R.
CHEN L, *see* MÄENPÄÄ P.
CHEN S, *see* WITTSTOCK U.
CHEN T-E, *see* HOU W-C.
CHEN W-L, *see* WANG H-L.
CHEN Z-H, *see* FAMIANI F.
CHENG L, FUCHIGAMI LH. Rubisco activation state decreases with increasing nitrogen content in apple leaves 1687
CHINI A, *see* BALESTRAZZI A.
CHUECA A, *see* PAGANO EA.
CLARK CJ, *see* ROBINSON A.
CLARKSON DT, CARVAJAL M, HENZLER T, WATERHOUSE RN, SMYTH AJ, COOKE DT, STEUDLE E. Root hydraulic conductance: diurnal aquaporin expression and the effects of nutrient stress 61
CLEMENS J, *see* ROBINSON A.
COCHARD H, MARTIN R, GROSS P, BOGEAT-TRIBOULOT MB. Temperature effects on hydraulic conductance and water relations of *Quercus robur* L. 1255
COCHRANE MP, PATERSON L, GOULD E. Changes in chalazal cell walls and in the peroxidase enzymes of the crease region during grain development in barley 507
COELLO J, *see* AGUILAR ML.
Colman B, *see* BOZZO GG.
CONÉJÉRO G, *see* CELLIER F.
COOKE DT, *see* CLARKSON DT.
COSGROVE DJ, *see* WU Y.
COUTAND C, JULIEN JL, MOULIA B, MAUGET JC, GUITARD D. A biomechanical study of the effect of a controlled bending on tomato stem elongation. I. 1813
COUTAND C, MOULIA B. A biomechanical study of the effect of a controlled bending on tomato stem elongation. II. 1825
COVE DJ. The generation and modification of cell polarity (Review article) 831
CRAMER GR, *see* MUNNS R.
CRAUFURD PQ, *see* PRASAD PVV.
CRESSWELL A, *see* GRIFFITH GS.
CRITCHLEY C, *see* DODD IC.
CURTIS PS, *see* GAVITO ME.
CUVELLIER G, *see* VUYLSTEKER C.
DAI H, *see* HOU W-C.
DAVIDSON D, *see* HEDLEY PE.
DAVIES GJ, *see* KILBY NJ.
DAVIES HV, *see* HARRIS N.
DAVIES WJ, BACON MA, THOMPSON DS, SOBEIH W, GONZÁLEZ RODRÍGUEZ L. Regulation of leaf and fruit growth in plants growing in drying soil: exploitation of the plants' chemical signalling system and hydraulic architecture to increase the efficiency of water use in agriculture 1617
DÂY A, *see* PYKE K.
DE BOER AD, *see* RIETVELD P.
DE CLERCQ J, *see* GOOSSENS A.
DE JAGER PA, *see* SCHEENEN TWJ.
DE JONG A, BORSTLAP AC. Transport of amino acids (L-valine, L-lysine, L-glutamic acid) and sucrose into plasma membrane vesicles isolated from cotyledons of developing pea seeds 1663
DE JONG A, BORSTLAP AC. A plasma membrane-enriched fraction isolated from the coats of developing pea seeds contains H^+-symporters for amino acids and sucrose 1671
DE MIGUEL L, BURGIN MJ, CASAL JJ, SÁNCHEZ RA. Antagonistic action of low-fluence and high-irradiance modes of response of phytochrome on germination and β-mannanase activity in *Datura ferox* seeds 1127
DE NISI P, *see* DELL'ORTO M.
DE NISI P, ZOCCHI G. Phospho*enol*pyruvate carboxylase in cucumber (*Cucumis sativus* L.) roots under iron deficiency: activity and kinetic characterization 1903
DE PATER S, *see* LANGEVELD SMJ.

De Rycke R, *see* Goossens A.
De Veylder L, Beeckman T, Van Montagu M, Inzé D. Increased leakiness of the tetracycline-inducible *Triple-Op* promoter in dividing cells renders it unsuitable for high inducible levels of a dominant negative *CDC2aAt* gene 1647
Deckmyn G, Nijs I, Ceulemans R. A simple method to determine leaf angles of grass species 1467
Degenhardt B, Gimmler H. Cell wall adaptations to multiple environmental stresses in maize roots 595
Dell'Orto M, Santi S, De Nisi P, Cesco S, Varanini Z, Zocchi G, Pinton R. Development of Fe-deficiency responses in cucumber (*Cucumis sativus* L.) roots: involvement of plasma membrane H^+-ATPase activity 695
Delseny M, *see* Vicient CM.
Dennis ES, Dolferus R, Ellis M, Rahman M, Wu Y, Hoeren FU, Grover A, Ismond KP, Good AG, Peacock WJ. Molecular strategies for improving waterlogging tolerance in plants 89
Desikan R, *see* Burnett EC.
Dever LV, *see* Bailey KJ.
Devic M, *see* Vicient CM.
Dewaele E, *see* Druart N.
Dewitte W, *see* Driss-Ecole D.
Dietz K-J, Sauter A, Wichert K, Messdaghi D, Hartung W. Extracellular β-glucosidase activity in barley involved in the hydrolysis of ABA glucose conjugate in leaves 937
Digby J, *see* Firn RD.
Dillen W, *see* Goossens A.
Dodd IC, He J, Turnbull CGN, Lee SK, Critchley C. The influence of supra-optimal root-zone temperatures on growth and stomatal conductance in *Capsicum annuum* L. 239
Dolferus R, *see* Dennis ES.
Driss-Ecole D, Vassy J, Rembur J, Guivarc'h A, Prouteau M, Dewitte W, Perbal G. Immunolocalization of actin in root statocytes of *Lens culinaris* L. 521
Druart N, Goupil P, Dewaele E, Boutin J-P, Rambour S. Nitrate assimilation in chicory roots (*Cichorium intybus* L.) which acquire radial growth 539
Dry P, *see* Stoll M.
Duff RJ, *see* Wood AJ.
Dunlop G, *see* Marshall B.
Dünnebacke M, *see* Scheurwater I.
Dunwell JM. Transgenic approaches to crop improvement 487
Durieu P, Ochatt SJ. Efficient intergeneric fusion of pea (*Pisum sativum* L.) and grass pea (*Lathyrus sativus* L.) protoplasts 1237
Durzan D, *see* Pedrosa MC.
Ebbs SD, *see* Lasat MM.
Eckert M, Kaldenhoff R. Light-induced stomatal movement of selected *Arabidopsis thaliana* mutants 1435
Edelmann HG, *see* Funke M.
Edwards W, *see* Robinson C.
Eguchi T. A new method for on-line measurement of diurnal change in potato tuber growth under controlled environments 961
Eising R, *see* Scheurwater I.
El-Enein RA, *see* Forster BP.
Elliott MC, *see* Fowler MR.
Ellis M, *see* Dennis ES.
Ellis RP, Forster BP, Robinson D, Handley LL, Gordon DC, Russell JR, Powell W. Wild barley: a source of genes for crop improvement in the 21st century? 9
Ellis RP, *see* Forster BP.
Ellis RP, *see* Robinson D.
Elmayan T, *see* Kieffer F.
Else MA, *see* Sharp RE.
Engelaar WMHG, *see* Yoneyama T.
Engels C, *see* Walch-Liu P.
Ennos AR, Spatz H-Ch, Speck T. The functional morphology of the petioles of the banana *Musa textilis* 2085
Epstein LM, *see* Aghoram K.
Escribano J, *see* Fernández JA.
Espadas FL, *see* Aguilar ML.
Fabbri AA, Fanelli C, Reverberi M, Ricelli A, Camera E, Urbanelli S, Rossini A, Picardo M, Altamura MM. Early physiological and cytological events induced by wounding in potato tubers 1267
Facchini PJ, *see* Park S-U.
Fambrini M, *see* Lobello G.
Famiani F, Walker RP, Técsi L, Chen Z-H, Proietti P, Leegood RC. An immunohistochemical study of the compartmentation of metabolism during the development of grape (*Vitis vinifera* L.) berries 675
Fanelli C, *see* Fabbri AA.
Farrar JF, *see* Korolev AV.
Fasulo MP, *see* Bonora A.
Faugeron C, *see* Vuylsteker C.
Feil R, *see* Schurr U.
Fell DA, *see* Poolman MG.
Fernández JA, Escribano J, Piqueras A, Medina J. A glycoconjugate from corms of saffron plant (*Crocus sativus* L.) inhibits root growth and affects *in vitro* cell viability 731
Ferrario-Méry S, *see* Murchie EH.
Ferrol N, *see* Benabdellah K.
Feurtado JA, *see* Bewley JD.
Filonova LH, Bozhkov PV, von Arnold S. Developmental pathway of somatic embryogenisis in *Picea abies* as revealed by time-lapse tracking 249
Firn RD, Wagstaff C, Digby J. The use of mutants to probe models of gravitropism (Review article) 1323
Fitchett PN, *see* Bryant JA.
Flowers SA, *see* Flowers TJ.
Flowers TJ, Koyama ML, Flowers SA, Sudhakar C, Singh KP, Yeo AR. QTL: their place in engineering tolerance of rice to salinity 99
Forde BG, *see* Zhang H.
Forney CF, *see* Hodges DM.
Forster BP, Ellis RP, Thomas WTB, Newton AC, Tuberosa R, This D, El-Enein RA, Bahri MH, Ben Salem M. The development and application of molecular markers for abiotic stress tolerance in barley 19
Forster BP, *see* Ellis RP.
Forster BP, *see* Ivandic V.
Forster BP, *see* Robinson D.
Foster JM, *see* Harris N.
Fowler MR, Atanassova AI, Elliott MC, Scott NW, Slater A. Characterization of a Mak subgroup Cdc2-like protein kinase from sugar beet (*Beta vulgaris* L.) 2119
Fowler MR, Gartland J, Norton W, Slater A, Elliott MC, Scott NW. *RS2*: a sugar beet gene related to the latex allergen Hev b5 family 2125
Foyer CH, *see* Kingston-Smith AH.
Foyer CH, *see* Murchie EH.
Foyer CH, *see* Noctor G.

FOYER CH, *see* PASTORI G.
FRANSSEN HM, *see* RIETVELD P.
FRAYSSE L, *see* OLSSON LC.
FREHNER M, *see* ALMEIDA JPF.
FUCHIGAMI LH, *see* CHENG L.
FUJIWARA H, *see* YONEYAMA T.
FUNKE M, EDELMANN HG. Auxin-dependent cell wall depositions in the epidermal periplasmic space of gravi-responding nodes of *Tradescantia fluminensis* 579
FYVIE MJ, *see* KILBY NJ.
GAJDOSOVA A, *see* BRISIBE EA.
GALLAGHER TF, *see* BUTLER ED.
GALLAIS S, POU DE CRESCENZO M-A, LAVAL-MARTIN DL. Evidence of active $NADP^+$ phosphatase in dormant seeds of *Avena sativa* L. 1389
GANTT JS, *see* SCHOENBECK MA.
GARCÍA-GARRIDO JM, *see* BLILOU I.
GARCIA-GARRIDO JM, TRIBAK M, REJON-PALOMARES A, OCAMPO JA, GARCIA-ROMERA I. Hydrolytic enzymes and ability of arbuscular mycorrhizal fungi to colonize roots 1443
GARCIA-ROMERA I, *see* GARCIA-GARRIDO JM.
GARTLAND J, *see* FOWLER MR.
GARVIN DF, *see* LASAT MM.
GAVITO ME, CURTIS PS, MIKKELSEN TN, JAKOBSEN I. Atmospheric CO_2 and mycorrhiza effects on biomass allocation and nutrient uptake of nodulated pea (*Pisum sativum* L.) plants 1931
GEBHARDT C, *see* HARRIS N.
GENNEY DR, ALEXANDER IJ, HARTLEY SE. Exclusion of grass roots from soil organic layers by *Calluna*: the role of ericoid mycorrhizas 1117
GERENDÁS J, RATCLIFFE RG. Intracellular pH regualtion in maize root tips exposed to ammonium at high external pH 207
GHERARDI F, *see* SHARP RE.
GIBBS J, MORRELL S, VALDEZ A, SETTER TL, GREENWAY H. Regulation of alcoholic fermentation in coleoptiles of two rice cultivars differing in tolerance to anoxia 785
GILL N, *see* GRIFFITHS G.
GILLER YE, *see* ALLEN DJ.
GIMMLER H, *see* DEGENHARDT B.
GIMMLER H. Primary sodium plasma membrane ATPases in salt-tolerant algae: facts and fictions (Review article) 1171
GIRÁLDEZ N, APARICIO PJ, QUIÑONES MA. Limiting CO_2 levels induce a blue light-dependent HCO_3^- uptake system in *Monoraphidium braunii* 807
GLOVER BJ. Differentiation in plant epidermal cells (Review article) 497
GONZALEZ E B, *see* MÄENPÄÄ P.
GONZÁLEZ RODRÍGUEZ L, *see* DAVIES WJ.
GOOD AG, *see* DENNIS ES.
GOOSSENS A, QUINTERO C, DILLEN W, DE RYCKE R, VALOR JF, DE CLERCQ J, VAN MONTAGU M, CARDONA C, ANGENON G. Analysis of bruchid resistance in the wild common bean accession G02771: no evidence for insecticidal activity of arcelin 5 1229
GORDON DC, *see* ELLIS RP.
GORDON DC, *see* ROBINSON D.
GORIS JJ, *see* GOULD KS.
GOULD E, *see* COCHRANE MP.
GOULD KS, MARKHAM KR, SMITH RH, GORIS JJ. Functional role of anthocyanins in the leaves of *Quintinia serrata* A. Cunn. 1107
GOUPIL P, *see* DRUART N.
GRANIER C, *see* TARDIEU F.
GRANTZ DA, YANG S. Ozone impacts on allometry and root hydraulic conductance are not mediated by source limitation nor developmental age 919
GRAY JC, *see* MÄENPÄÄ P.
GREENWAY H, *see* GIBBS J.
GRIFFITH GS, CRESSWELL A, JONES S, ALLEN DK. The nitrogen handling characteristics of white clover (*Trifolium repens* L.) cultivars and a perennial ryegrass (*Lolium perenne* L.) cultivar 1879
GRIFFITHS G, LEVERENTZ M, SILKOWSKI H, GILL N, SÁNCHEZ-SERRANO JJ. Lipid hydroperoxide levels in plant tissues 1363
GROOT SPC, *see* POWELL AA.
GROSS P, *see* COCHARD H.
GROVER A, *see* DENNIS ES.
GUALANDRI R, *see* BONORA A.
GUILLEMINOT J, *see* VICIENT CM.
GUINEL FC, SLOETJES LL. Ethylene is involved in the nodulation phenotype of *Pisum sativum* R50 (*sym 16*), a pleiotropic mutant that nodulates poorly and has pale green leaves 885
GUITARD D, *see* COUTAND C.
GUIVARC'H A, *see* DRISS-ECOLE D.
GUO J, *see* MUNNS R.
GUSSAKOVSKY EE, *see* ALLEN DJ.
GUZZO F, CAMPAGNARI E, LEVI M. A new FISH protocol with increased sensitivity for physical mapping with short probes in plants 965
HAASE A, *see* WOLF K.
HACKETT CA, *see* IVANDIC V.
HAJIREZAEI M-R, TAKAHATA Y, TRETHEWEY RN, WILLMITZER L, SONNEWALD U. Impact of elevated cytosolic and apoplastic invertase activity on carbon metabolism during potato tuber development 439
HALKIER BA, *see* WITTSTOCK U.
HAMARD P, *see* TARDIEU F.
HANDLEY LL, *see* ELLIS RP.
HANDLEY LL, *see* ROBINSON D.
HANDLEY LL, *see* WHEELER CT.
HARRINGTON G, *see* WALKER NA.
HARRIS N, FOSTER JM, KUMAR A, DAVIES HV, GEBHARDT C, WRAY JL. Two cDNAs representing alleles of the nitrate reductase gene of potato (*Solanum tuberosum* L. cv. Desirée): sequence analysis, genomic organization and expression 1017
HART J, *see* CAKMAK I.
HARTLEY SE, *see* GENNEY DR.
HARTMANN K, *see* WOLF K.
HARTMANN T, MULT S, SUTER M, RENNENBERG H, HERSCHBACH C. Leaf age-dependent differences in sulphur assimilation and allocation in poplar (*Populus tremula* × *P. alba*) leaves 1077
HARTUNG W, *see* DIETZ K-J.
HARTUNG W, *see* SAUTER A.
HARTWIG UA, *see* ALMEIDA JPF.
HASHIBA T, *see* SHIBUYA K.
HAWKESFORD MJ, *see* WARRILOW AGS.
HAWKESFORD MJ. Plant responses to sulphur deficiency and the genetic manipulation of sulphate transporters to improve S-utilization efficiency 131
HAYS DB, REID DM, YEUNG EC, PHARIS RP. Role of ethylene in cotyledon development of microspore-derived embryos of *Brassica napus* 1851
HE J, *see* DODD IC.
HECKENBERGER U, *see* SCHURR U.

HEDLEY PE, MADDISON AL, DAVIDSON D, MACHRAY GC. Differential expression of invertase genes in internal and external phloem tissues of potato (*Solanum tuberosum* L.) 817

HEINEKE D, *see* KAUDER F.

HELLEBOID S, HENDRIKS T, BAUW G, INZÉ D, VASSEUR J, HILBERT J-L. Three major somatic embryogenesis-related proteins in *Cichorium* identified as PR proteins 1189

HENDRIKS T, *see* HELLEBOID S.

HENZLER T, *see* CLARKSON DT.

HENZLER T, STEUDLE E. Transport and metabolic degradation of hydrogen peroxide in *Chara corallina*: model calculations and measurements with the pressure probe suggest transport of H_2O_2 across water channels 2053

HERDEL K, *see* SCHURR U.

HERNANDEZ G, *see* SCHOENBECK MA.

HERSCHBACH C, *see* HARTMANN T.

HILBERT J-L, *see* HELLEBOID S.

HILHORST HWM, *see* BEWLEY JD.

HILHORST HWM, *see* TOOROP PE.

HODGES DM, FORNEY CF. The effects of ethylene, depressed oxygen and elevated carbon dioxide on antioxidant profiles of senescing spinach leaves 645

HOEKSTRA FA, *see* SACANDÉ M.

HOEREN FU, *see* DENNIS ES.

HOLDAWAY N, *see* WALKER NA.

HOLMSTRÖM K-O, SOMERSALO S, MANDAL A, PALVA TE, WELIN B. Improved tolerance to salinity and low temperature in transgenic tobacco producing glycine betaine 177

HOLT JS, *see* STEINMAUS SJ.

HOOKER JE, *see* WHEELER CT.

HOOYKAAS PJJ, *see* SCHRAMMEIJER B.

HORIE T, *see* MATSUI T.

HORSTMANN C, *see* SCHLERETH A.

HORTON P. Prospects for crop improvement through the genetic manipulation of photosynthesis: morphological and biochemical aspects of light capture 475

HOU W-C, WANG Y-T, LIN Y-H, HSIAO L-J, CHEN T-E, WANG C-W, DAI H. A complex containing both trypsin inhibitor and dehydroascorbate reductase activities isolated from mitochondria of etiolated mung bean (*Vigna radiata* L. (Wilczek) cv. Tainan No. 5) seedlings 713

HOWARTH CJ, *see* THOMAS H.

HSIAO L-J, *see* HOU W-C.

HSIAO TC, XU L-K. Sensitivity of growth of roots versus leaves to water stress: biophysical analysis and relation to water transport 1595

HUANG D-J, *see* WANG H-L.

HUGHES M, *see* CARTER CE.

HUIJSER C, *see* PEGO JV.

HULL G, *see* VICIENT CM.

HUSSMANN M, *see* LOHAUS G.

IDLER KB, *see* SCHRAMMEIJER B.

INZÉ D, *see* BELLES-BOIX E.

INZÉ D, *see* DE VEYLDER L.

INZÉ D, *see* HELLEBOID S.

INZÉ D, *see* VRANOVA E.

ISMOND KP, *see* DENNIS ES.

ITAI A, TANABE K, TAMURA F, TANAKA T. Isolation of cDNA clones corresponding to genes expressed during fruit ripening in Japanese pear (*Pyrus pyrifolia* Nakai): involvement of the ethylene signal transduction pathway in their expression 1163

ITAI R, SUZUKI K, YAMAGUCHI H, NAKANISHI H, NISHIZAWA N-K, YOSHIMURA E, MORI S. Induced activity of adenine phosphoribosyltransferase (APRT) in iron-deficient barley roots: a possible role for phytosiderophore production 1179

IUCHI S, *see* MIKAMI K.

IVANDIC V, HACKETT CA, ZHANG ZJ, STAUB JE, NEVO E, THOMAS WTB, FORSTER BP. Phenotypic responses of wild barley to experimentally imposed water stress 2021

JACKSON MB, *see* SUMMERS JE.

JACKSON S, *see* CARTER CE.

JAKOBSEN I, *see* GAVITO ME.

JENSEN RG, *see* SHEVELEVA EV.

JING H-C, *see* POWELL AA.

JOHNSON GN, *see* MAXWELL K.

JONES MB, *see* TOGNETTI R.

JONES P, *see* MULLARKEY M.

JONES S, *see* GRIFFITH GS.

JULIEN JL, *see* COUTAND C.

KAISER H, KAPPEN L. *In situ* observation of stomatal movements and gas exchange of *Aegopodium podagraria* L. in the understorey 1741

KAISER WM, *see* KANDLBINDER A.

KALDENHOFF R, *see* ECKERT M.

KAMENETSKY R, *see* VAN DER TOORN A.

KANDLBINDER A, WEINER H, KAISER WM. Nitrate reductases from leaves of *Ricinus* (*Ricinus communis* L.) and spinach (*Spinacia oleracea* L.) have different regulatory properties 1099

KAPPEN L, *see* KAISER H.

KARAMANOS Y, *see* VUYLSTEKER C.

KATO-NOGUCHI H. Abscisic acid and hypoxic induction of anoxic tolerance in roots of lettuce seedlings 1939

KAUDER F, LUDEWIG F, HEINEKE D. Ontogenetic changes of potato plants during acclimation to elevated carbon dioxide 429

KAWANO T, MUTO S. Mechanism of peroxidase actions for salicylic acid-induced generation of active oxygen species and an increase in cytosolic calcium in tobacco cell suspension culture 685

KERMODE AR, *see* SCHMITZ N.

KHAN MS, *see* MÄENPÄÄ P.

KIDD PS, PROCTOR J. Effects of aluminium on the growth and mineral composition of *Betula pendula* Roth 1057

KIEFFER F, LHERMINIER J, SIMON-PLAS F, NICOLE M, PAYNOT M, ELMAYAN T, BLEIN J-P. The fungal elicitor cryptogein induces cell wall modifications on tobacco cell suspension 1799

KIJNE JW, *see* LANGEVELD SMJ.

KILBY NJ, FYVIE MJ, SESSIONS RA, DAVIES GJ, MURRAY JAH. Controlled induction of GUS marked clonal sectors in *Arabidopsis* 853

KINGSTON-SMITH AH, FOYER CH. Bundle sheath proteins are more sensitive to oxidative damage than those of the mesophyll in maize leaves exposed to paraquat or low temperatures 123

KINGSTON-SMITH AH, FOYER CH. Overexpression of Mn-superoxide dismutase in maize leaves leads to increased monodehydroascorbate reductase, dehydroascorbate reductase and glutathione reductase activities 1867

KNIGHT H, KNIGHT MR. Imaging spatial and cellular characteristics of low temperature calcium signature after cold acclimation in *Arabidopsis* 1679

KNIGHT MR, *see* KNIGHT H.

KOCH KE, YING Z, WU Y, AVIGNE WT. Multiple paths of sugar sensing and a sugar/oxygen overlap for genes of sucrose and ethanol metabolism 417

KOCHIAN LV, *see* CAKMAK I.
KOCHIAN LV, *see* LASAT MM.
KOLLIPARA KP, *see* SUBBAIAH CC.
KOROLEV AV, TOMOS AD, BOWTELL R, FARRAR JF. Spatial and temporal distribution of solutes in the developing carrot taproot measured at single-cell resolution 567
KORTSTEE AJ, *see* PEGO JV.
KOYAMA ML, *see* FLOWERS TJ.
KUMAR A, *see* HARRIS N.
KUSHNIR S, *see* BELLES-BOIX E.
KVARNHEDEN A, YAO J-L, ZHAN X, O'BRIEN I, MORRIS BAM. Isolation of three distinct *CycD3* genes expressed during fruit development in tomato 1789
LAMBERS H, *see* SCHEURWATER I.
LANGEBARTELS C, *see* VRANOVA E.
LANGEVELD SMJ, VAN WIJK R, STUURMAN N, KIJNE JW, DE PATER S. B-type granule containing protrusions and interconnections between amyloplasts in developing wheat endosperm revealed by transmission electron microscopy and GFP expression 1357
LASAT MM, PENCE NS, GARVIN DF, EBBS SD, KOCHIAN LV. Molecular physiology of zinc transport in the Zn hyperaccumulator *Thlaspi caerulescens* 71
LAVAL-MARTIN DL, *see* GALLAIS S.
LAWLOR DW, *see* MITCHELL RAC.
LEA PJ, *see* BAILEY KJ.
LEAVER CJ, *see* LOGAN DC.
LEE P-D, *see* WANG H-L.
LEE SK, *see* DODD IC.
LEEGOOD RC, *see* BAILEY KJ.
LEEGOOD RC, *see* FAMIANI F.
LEMONTEY C, MOUSSET-DÉCLAS C, MUNIER-JOLAIN N, BOUTIN J-P. Maternal genotype influences pea seed size by controlling both mitotic activity during early embryogenesis and final endoreduplication level/cotyledon cell size in mature seed 167
LENOBLE ME, *see* SHARP RE.
LERCARI B, *see* LOBELLO G.
LESHAM YY, PINCHASOV Y. Non-invasive photoacoustic spectroscopic determination of relative endogenous nitric oxide and ethylene content stoichiometry during the ripening of strawberries *Fragaria anannasa* (Duch.) and avocados *Persea americana* (Mill.) 1471
LEVENSON CW, *see* AGHORAM K.
LEVERENTZ M, *see* GRIFFITHS G.
LEVI M, *see* GUZZO F.
LHERMINIER J, *see* KIEFFER F.
LIANG Y, SUN WQ. Desiccation tolerance of recalcitrant *Theobroma cacao* embryonic axes: the optimal drying rate and its physiological basis 1911
LIN Y-H, *see* HOU W-C.
LINDSEY K, *see* SOUTER M.
LOBELLO G, FAMBRINI M, BARALDI R, LERCARI B, PUGLIESI C. Hormonal influence on photocontrol of the protandry in the genus *Helianthus* 1403
LOCKE JM, BRYCE JH, MORRIS PC. Contrasting effects of ethylene perception and biosynthesis inhibitors on germination and seedling growth of barley (*Hordeum vulgare* L.) 1843
LOGAN DC, LEAVER CJ. Mitochondria-targeted GFP highlights the heterogeneity of mitochondrial shape, size and movement within living plant cells 865
LOHAUS G, HUSSMANN M, PENNEWISS K, SCHNEIDER H, ZHU J-J, SATTELMACHER B. Solute balance of a maize (*Zea mays* L.) source leaf as affected by salt treatment with special emphasis on phloem retranslocation and ion leaching 1721
LÓPEZ-GORGÉ J, *see* PAGANO EA.
LOVEYS B, *see* STOLL M.
LU C, ZHANG J. Role of light in the response of PSII photochemistry to salt stress in the cyanobacterium *Spirulina platensis* 911
LUCCARINI G, *see* BALESTRAZZI A.
LUDEWIG F, *see* KAUDER F.
LÜSCHER A, *see* ALMEIDA JPF.
LYONS T, *see* TURCSÁNYI E.
MACHRAY GC, *see* HEDLEY PE.
MADDISON AL, *see* HEDLEY PE.
MAE T, *see* MAKINO A.
MÄENPÄÄ P, GONZALEZ E B, CHEN L, KHAN MS, GRAY JC, ARO E-M. The *ycf 9 (orf 62)* gene in the plant chloroplast genome encodes a hydrophobic protein of stromal thykaloid membranes 375
MAGALHAES JR, *see* PEDROSA MC.
MAKINO A, NAKANO H, MAE T, SHIMADA T, YAMAMOTO N. Photosynthesis, plant growth and N allocation in transgenic rice plants with decreased Rubisco under CO_2 enrichment 383
MANDAL A, *see* HOLMSTRÖM K-O.
MARKHAM KR, *see* GOULD KS.
MARSHALL B, DUNLOP G, RAMSAY G, SQUIRE GR. Temperature-dependent germination traits in oilseed rape associated with 5′-anchored simple sequence repeat PCR polymorphisms 2075
MARTIN R, *see* COCHARD H.
MATSUDA Y, *see* BOZZO GG.
MATSUI T, OMASA K, HORIE T. Anther dehiscence in two-rowed barley (*Hordeum distichum*) triggered by mechanical stimulation 1319
MATSUSHIMA H, *see* MOROHASHI Y.
MATSUSHIMA H, *see* TODAKA D.
MAUGET JC, *see* COUTAND C.
MAUST BE, *see* AGUILAR ML.
MAXWELL K, JOHNSON GN. Chlorophyll fluorescence—a practical guide (Review article) 659
MCDOUGALL GJ. A comparison of proteins from the developing xylem of compression and non-compression wood of branches of Sitka spruce (*Picea sitchensis*) reveals a differentially expressed laccase 1395
MEAD A, *see* PEACH L.
MEDINA J, *see* FERNÁNDEZ JA.
MELCHERS LS, *see* SCHRAMMEIJER B.
MESSDAGHI D, *see* DIETZ K-J.
MIFLIN B. Crop improvement in the 21st century 1
MIKAMI K, IUCHI S, YAMAGUCHI-SHINOZAKI K, SHINOZAKI K. A novel *Arabidopsis thaliana* dynamin-like protein containing the pleckstrin homology domain 317
MIKKELSEN TN, *see* GAVITO ME.
MINNOCCI A, *see* TOGNETTI R.
MITCHELL RAC, THEOBALD JC, PARRY MAJ, LAWLOR DW. Is there scope for improving balance between RuBP-regeneration and carboxylation capacities in wheat at elevated CO_2? 391
MORI S, *see* ITAI R.
MORI S, *see* YAMAGUCHI H.
MOROHASHI Y, MATSUSHIMA H. Development of β-1,3-glucanase activity in germinated tomato seeds 1381
MOROHASHI Y, *see* TODAKA D.
MORRELL S, *see* GIBBS J.
MORRIS BAM, *see* KVARNHEDEN A.
MORRIS PC, *see* LOCKE JM.

MOSER RC, *see* BURNETT EC.

MOTT KA, WOODROW IE. Modelling the role of Rubisco activase in limiting non-steady-state photosynthesis 399

MOULIA B, *see* COUTAND C.

MOUSSET-DÉCLAS C, *see* LEMONTEY C.

MULLARKEY M, JONES P. Isolation and analysis of thermotolerant mutants of wheat 139

MULLER B, *see* TARDIEU F.

MULLINEAUX P, *see* PASTORI G.

MULT S, *see* HARTMANN T.

MUNIER-JOLAIN N, *see* LEMONTEY C.

MUNNS R, PASSIOURA JB, GUO J, CHAZEN O, CRAMER GR. Water relations and leaf expansion: importance of time scale 1495

MÜNTZ K, *see* SCHLERETH A.

MURATA N, *see* SAKAMOTO A.

MURCHIE EH, FERRARIO-MÉRY S, VALADIER M-H, FOYER CH. Short-term nitrogen-induced modulation of phospho*enol*pyruvate carboxylase in tobacco and maize leaves 1349

MURRAY JAH, *see* KILBY NJ.

MURTHY UMN, SUN WQ. Protein modification by the Amadori and Maillard reactions during seed storage: roles of sugar hydrolysis and lipid peroxidation 1221

MUTO S, *see* KAWANO T.

NAKANISHI H, *see* ITAI R.

NAKANISHI H, *see* YAMAGUCHI H.

NAKANO H, *see* MAKINO A.

NEILL SJ, *see* BURNETT EC.

NETTING AG. pH, abscisic acid and the intregration of metabolism in plants under stressed and non-stressed conditions: cellular responses to stress and their implication for plant water relations (Review article) 147

NEUMANN G, *see* WALCH-LIU P.

NEVO E, *see* IVANDIC V.

NEWMAN I, *see* SHABALA S.

NEWTON AC, *see* FORSTER BP.

NICOLE M, *see* KIEFFER F.

NIJS I, *see* DECKMYN G.

NIKLAS KJ. Computing factors of safety against wind-induced tree stem damage 797

NISHIZAWA N-K, *see* ITAI R.

NISHIZAWA NK, *see* YAMAGUCHI H.

NOCTOR G, FOYER CH. Homeostasis of adenylate status during photosynthesis in a fluctuating environment 347

NOGUÉS S, BAKER NR. Effects of drought on photosynthesis in Mediterranean plants grown under enhanced UV-B radiation 1309

NORTON W, *see* FOWLER MR.

NORVELL WA, *see* CAKMAK I.

NORWOOD M, TRUESDALE MR, RICHTER A, SCOTT P. Photosynthetic carbohydrate metabolism in the resurrection plant *Craterostigma plantagineum* 159

NÖSBERGER J, *see* ALMEIDA JPF.

O'Brien I, *see* KVARNHEDEN A.

OCAMPO JA, *see* BLILOU I.

OCAMPO JA, *see* GARCIA-GARRIDO JM.

OCHATT SJ, *see* DURIEU P.

OLESEN A, *see* BRISIBE EA.

OLIVER MJ, *see* WOOD AJ.

OLSSON LC, FRAYSSE L, BORNMAN JF. Influence of high light and UV-B radiation on photosynthesis and D1 turnover in atrazine-tolerant and -sensitive cultivars of *Brassica napus* 265

OMASA K, *see* MATSUI T.

ORT DR, *see* ALLEN DJ.

OSCARSON P. The strategy of the wheat plant in acclimating growth and grain production to nitrogen availability 1921

OUGHAM H, *see* THOMAS H.

OUTLAW JR WH, *see* AGHORAM K.

OZTÜRK L, *see* CAKMAK I.

PAGANO EA, CHUECA A, LÓPEZ-GORGÉ J. Expression of thioredoxins *f* and *m*, and of their targets fructose-1,6-bisphosphatase and NADP-malate dehydrogenase, in pea plants grown under normal and light/temperature stress conditions 1299

PAGÈS L, *see* BIDEL LPR.

PALLANCA JE, SMIRNOFF N. The control of ascorbic acid synthesis and turnover in pea seedlings 669

PALVA TE, *see* HOLMSTRÖM K-O.

PANCALDI S, *see* BONORA A.

PARK S-U, FACCHINI PJ. *Agrobacterium rhizogenes*-mediated transformation of opium poppy, *Papaver somniferum* L., and California poppy, *Eschscholzia californica* Cham., root cultures 1005

PARRY MAJ, *see* MITCHELL RAC.

Passioura JB, *see* MUNNS R.

PASTORI G, FOYER CH, MULLINEAUX P. Low temperature-induced changes in the distribution of H_2O_2 and antioxidants between the bundle sheath and mesophyll cells of maize leaves 107

PATERSON E, SIM A. Effect of nitrogen supply and defoliation on loss of organic compounds from roots of *Festuca rubra* 1449

PATERSON L, *see* COCHRANE MP.

PATRICK JW, *see* WALKER NA.

PAYNOT M, *see* KIEFFER F.

PEACH L, BENJAMIN LR, MEAD A. Effects on the growth of carrots (*Daucus carota* L.), cabbage (*Brassica oleracea* var. *capitata* L.) and onion (*Allium cepa* L.) of restricting the ability of the plants to intercept resources 605

PEACOCK WJ, *see* DENNIS ES.

PEDROSA MC, MAGALHAES JR, DURZAN D. A nitric oxide burst precedes apoptosis in angiosperm and gymnosperm callus cells and foliar tissues 1027

PEGO JV, KORTSTEE AJ, HUIJSER C, SMEEKENS SCM. Photosynthesis, sugars and the regulation of gene expression 407

PENCE NS, *see* LASAT MM.

PENNEWISS K, *see* LOHAUS G.

PEÑUELAS J, *see* TOGNETTI R.

PERBAL G, *see* DRISS-ECOLE D.

PETERSON CA, *see* BARROWCLOUGH DE.

PHARIS RP, *see* HAYS DB.

PICARDO M, *see* FABBRI AA.

PIERCE S, STIRLING CM, BAXTER R. The influence of secondary senescence processes within the culm of a pseudoviviparous grass (*Poa alpina* var. *vivipara* L.) on the supply of water to propagules 1067

PIERCE S, STIRLING CM, BAXTER R. Architectural and physiological heterogeneity within the synflorescence of the pseudoviviparous grass *Poa alpina* var. *vivipara* L. 1705

PINCHASOV Y, *see* LESHAM YY.

PINEDA AO, *see* AGHORAM K.

PINTON R, *see* DELL'ORTO M.

PIQUERAS A, *see* FERNÁNDEZ JA.

PLÖCHL M, *see* TURCSÁNYI E.

POOLMAN MG, FELL DA, THOMAS S. Modelling photosynthesis and its control 319

POU DE CRESCENZO M-A, *see* GALLAIS S.

Powell AA, Yule LJ, Jing H-C, Groot SPC, Bino RJ, Pritchard HW. The influence of aerated hydration seed treatment on seed longevity as assessed by the viability equations 2031

Powell W, *see* Ellis RP.

Prasad PVV, Craufurd PQ, Summerfield RJ, Wheeler TR. Effects of short episodes of heat stress on flower production and fruit-set of groundnut (*Arachis hypogaea* L.) 777

Prather TS, *see* Steinmaus SJ.

Pritchard HW, *see* Powell AA.

Prithiviraj B, Souleimanov A, Zhou X, Smith DL. Differential response of soybean (*Glycine max* (L.) Merr.) genotypes to lipo-chito-oligosaccharide Nod *Bj* V ($C_{18:1}$ Me Feu) 2045

Proctor J, *see* Kidd PS.

Proctor MCF, Smirnoff N. Rapid recovery of photosystems on re-wetting desiccation-tolerant mosses: chlorophyll fluorescence and inhibitor experiments 1695

Proietti P, *see* Famiani F.

Proseus TE, Zhu G-L, Boyer JS. Turgor, temperature and the growth of plant cells: using *Chara corallina* as a model system 1481

Prouteau M, *see* Driss-Ecole D.

Pugliesi C, *see* Lobello G.

Pyke K, Zubko MK, Day A. Marking cell layers with spectinomycin provides a new tool for monitoring cell fate during leaf development 1713

Quiñones MA, *see* Giráldez N.

Quintero C, *see* Goossens A.

Rahman M, *see* Dennis ES.

Rambour S, *see* Druart N.

Ramsay G, *see* Marshall B.

Raschi A, *see* Tognetti R.

Ratcliffe RG, *see* Gerendás J.

Ratcliffe RG, *see* Summers JE.

Ratner K, *see* Allen DJ.

Reid DM, *see* Hays DB.

Rejon-Palomares A, *see* Garcia-Garrido JM.

Rembur J, *see* Driss-Ecole D.

Renault P, *see* Bidel LPR.

Rennenberg H, *see* Hartmann T.

Repo T, Zhang G, Ryyppö A, Rikala R. The electrical impedance spectroscopy of Scots pine (*Pinus sylvestris* L.) shoots in relation to cold acclimation 2095

Reverberi M, *see* Fabbri AA.

Reymond M, *see* Tardieu F.

Reynolds MP, van Ginkel M, Ribaut J-M. Avenues for genetic modification of radiation use efficiency in wheat 459

Ribaut J-M, *see* Reynolds MP.

Ricelli A, *see* Fabbri AA.

Richards RA. Selectable traits to increase crop photosynthesis and yield of grain crops 447

Richter A, *see* Norwood M.

Rietveld PL, Wilkinson C, Franssen HM, Balk PA, van der Plas LHW, Weisbeek PJ, de Boer AD. Low temperature sensing in tulip (*Tulipa gesneriana* L.) is mediated through an increased response to auxin 587

Rikala R, *see* Repo T.

Rivière LM, *see* Bidel LPR.

Robert ML, *see* Aguilar ML.

Roberts SK, Snowman BN. The effects of ABA on channel-mediated K^+ transport across higher plant roots 1585

Robinson A, Clark CJ, Clemens J. Using ^1H magnetic resonance imaging and complementary analytical techniques to characterize developmental changes in the *Zantedeschia* Spreng. tuber 2009

Robinson C, Woolhead C, Edwards W. Transport of proteins into and across the thylakoid membrane 369

Robinson D, Handley LL, Scrimgeour CM, Gordon DC, Forster BP, Ellis RP. Using stable isotope natural abundances ($\delta^{15}N$ and $\delta^{13}C$) to integrate the stress responses of wild barley (*Hordeum spontaneum* C. Koch.) genotypes 41

Robinson D, *see* Ellis RP.

Rossini A, *see* Fabbri AA.

Russell JR, *see* Ellis RP.

Ruuska SA, Badger MR, Andrews TJ, von Caemmerer S. Photosynthetic electron sinks in transgenic tobacco with reduced amount of Rubisco: little evidence for significant Mehler reaction 357

Ryyppö A, *see* Repo T.

Sacandé M, Buitink J, Hoekstra FA. A study of water relations in neem (*Azadirachta indica*) seed that is characterized by complex storage behaviour 635

Sachs MM, *see* Subbaiah CC.

Sakamoto A, Murata N. Genetic engineering of glycinebetaine synthesis in plants: current status and implications for enhancement of stress tolerance 81

Samac DA, *see* Schoenbeck MA.

Sánchez RA, *see* de Miguel L.

Sánchez-Serrano JJ, *see* Griffiths G.

Sangwan RS, *see* Chateau S.

Sangwan-Norreel BS, *see* Chateau S.

Santamaría JM, *see* Aguilar ML.

Santi S, *see* Dell'Orto M.

Satoh S, *see* Shibuya K.

Sattelmacher B, *see* Lohaus G.

Sauter A, Hartung W. Radial transport of abscisic acid conjugates in maize roots: its implication for long-distance stress signals 929

Sauter A, *see* Dietz K-J.

Scheenen TWJ, van Dusschoten D, de Jager PA, Van As H. Quantification of water transport in plants with NMR imaging 1751

Scheurwater I, Dünnebacke M, Eising R, Lambers H. Respiratory costs and rate of protein turnover in the roots of a fast-growing (*Dactylis glomerata* L.) and a slow-growing (*Festuca ovina* L.) grass species 1089

Schlereth A, Becker C, Horstmann C, Tiedemann J, Müntz K. Comparison of globulin mobilization and cysteine proteinases in embryonic axes and cotyledons during germination and seedling growth of vetch (*Vicia sativa* L.) 1423

Schmitz N, Abrams SR, Kermode AR. Changes in abscisic acid content and embryo sensitivity to (+)-abscisic acid during the termination of dormancy of yellow cedar seeds 1159

Schneider H, *see* Lohaus G.

Schoenbeck MA, Temple SJ, Trepp GB, Blumenthal JM, Samac DA, Gantt JS, Hernandez G, Vance CP. Decreased NADH glutamate synthase activity in nodules and flowers of alfalfa (*Medicago sativa* L.) transformed with an antisense glutamate synthase transgene 29

Schrammeijer B, Beijersbergen A, Idler KB, Melchers LS, Thompson DV, Hooykaas PJJ. Sequence analysis of the *vir*-region from *Agrobacterium tumefaciens* octopine Ti plasmid pTi15955 1167

Schreiber L, *see* Wolf K.

SCHURR U, HECKENBERGER U, HERDEL K, WALTER A, FEIL R. Leaf development in *Ricinus communis* during drought stress: dynamics of growth processes, of cellular structure and of sink–source transition 1515
SCHWAB W, *see* WOLF K.
SCOTT NW, *see* FOWLER MR.
SCOTT P, *see* NORWOOD M.
SCRIMGEOUR CM, *see* ROBINSON D.
SCRIMGEOUR CM, *see* WHEELER CT.
SESSIONS RA, *see* KILBY NJ.
SETTER TL, *see* GIBBS J.
SHABALA S, BABOURINA O, NEWMAN I. Ion-specific mechanisms of osmoregulation in bean mesophyll cells 1243
SHACKEL KA, TURNER NC. Seed coat cell turgor in chickpea is independent of changes in plant and pod water potential 895
SHAHAK Y, *see* ALLEN DJ.
SHARP RE, LENOBLE ME, ELSE MA, THORNE ET, GHERARDI F. Endogenous ABA maintains shoot growth in tomato independently of effects on plant water balance: evidence for an interaction with ethylene 1575
SHARP RE, *see* VAN DER WEELE CM.
SHEVELEVA EV, JENSEN RG, BOHNERT HJ. Disturbance in the allocation of carbohydrates to regenerative organs in transgenic *Nicotiana tabacum* L. 115
SHIBUYA K, YOSHIOKA T, HASHIBA T, SATOH S. Role of the gynoecium in natural senescence of carnation (*Dianthus caryophyllus* L.) flowers 2067
SHIMADA T, *see* MAKINO A.
SHINOZAKI K, *see* MIKAMI K.
SILKOWSKI H, *see* GRIFFITHS G.
SIM A, *see* PATERSON E.
SIMONNEAU T, *see* BARRIEU P.
SIMON-PLAS F, *see* KIEFFER F.
SINCLAIR TR, *see* VADEZ V.
SINGH KP, *see* FLOWERS TJ.
SLATER A, *see* FOWLER MR.
SLOETJES LL, *see* GUINEL FC.
SMEEKENS SCM, *see* PEGO JV.
SMIRNOFF N, *see* PALLANCA JE.
SMIRNOFF N, *see* PROCTOR MCF.
SMITH DL, *see* PRITHIVIRAJ B.
SMITH RH, *see* GOULD KS.
SMOLDERS E, *see* ZHU Y-G.
SMYTH AJ, *see* CLARKSON DT.
SNOWMAN BN, *see* ROBERTS SK.
SOBEIH W, *see* DAVIES WJ.
SOMERSALO S, *see* HOLMSTRÖM K-O.
SONNEWALD U, *see* HAJIREZAEI M-R.
SOULEIMANOV A, *see* PRITHIVIRAJ B.
SOUTER M, LINDSEY K. Polarity and signalling in plant embryogenesis (Review article) 971
SPATZ H-C, *see* BEISMANN H.
SPATZ H-CH, *see* ENNOS AR.
SPECK T, *see* BEISMANN H.
SPECK T, *see* ENNOS AR.
SPOLLEN WG, *see* VAN DER WEELE CM.
SQUIRE GR, *see* MARSHALL B.
STAUB JE, *see* IVANDIC V.
STEINMAUS SJ, PRATHER TS, HOLT JS. Estimation of base temperatures for nine weed species 275
STEUDLE E, *see* BARROWCLOUGH DE.
STEUDLE E, *see* CLARKSON DT.
STEUDLE E, *see* HENZLER T.
STEUDLE E. Water uptake by roots: effects of water deficit 1531
STIRLING CM, *see* PIERCE S.
STOLL M, LOVEYS B, DRY P. Hormonal changes induced by partial rootzone drying of irrigated grapevine 1627
STUURMAN N, *see* LANGEVELD SMJ.
SU J-C, *see* WANG H-L.
SUBBAIAH CC, KOLLIPARA KP, SACHS MM. A Ca^{2+}-dependent cysteine protease is associated with anoxia-induced root tip death in maize 721
SUDHAKAR C, *see* FLOWERS TJ.
SUMMERFIELD RJ, *see* PRASAD PVV.
SUMMERS JE, RATCLIFFE RG, JACKSON MB. Anoxia tolerance in the aquatic monocot *Potamogeton pectinatus*: absence of oxygen stimulates elongation in association with an unusually large Pasteur effect 1413
SUN WQ, *see* LIANG Y.
SUN WQ, *see* MURTHY UMN.
SUTER M, *see* HARTMANN T.
SUZUKI K, *see* ITAI R.
SZMIDT-JAWORSKA A, *see* CARTER CE.
TAKAHATA Y, *see* HAJIREZAEI M-R.
TAMURA F, *see* ITAI A.
TANABE K, *see* ITAI A.
TANAKA T, *see* ITAI A.
TARDIEU F, REYMOND M, HAMARD P, GRANIER C, MULLER B. Spatial distributions of expansion rate, cell division rate and cell size in maize leaves: a synthesis of the effects of soil water status, evaporative demand and temperature 1505
TAYLOR IB, BURBIDGE A, THOMPSON AJ. Control of abscisic acid synthesis 1563
TÉCSI L, *see* FAMIANI F.
TEMPLE SJ, *see* SCHOENBECK MA.
THEOBALD JC, *see* MITCHELL RAC.
THIS D, *see* FORSTER BP.
THOMAS B, *see* CARTER CE.
THOMAS H, HOWARTH CJ. Five ways to stay green 329
THOMAS H, THOMAS HM, OUGHAM H. Annuality, perennality and cell death (Review article) 1781
THOMAS HM, *see* THOMAS H.
THOMAS S, *see* POOLMAN MG.
THOMAS WTB, *see* FORSTER BP.
THOMAS WTB, *see* IVANDIC V.
THOMPSON AJ, *see* TAYLOR IB.
THOMPSON DS, *see* DAVIES WJ.
THOMPSON DV, *see* SCHRAMMEIJER B.
THORNE ET, *see* SHARP RE.
TIEDEMANN J, *see* SCHLERETH A.
TILAK M, *see* WHEELER CT.
TODAKA D, MATSUSHIMA H, MOROHASHI Y. Water stress enhances β-amylase activity in cucumber cotyledons 739
TOGNETTI R, MINNOCCI A, PEÑUELAS J, RASCHI A, JONES MB. Comparative field water relations of three Mediterranean shrub species co-occurring at a natural CO_2 vent 1135
TOMOS AD, *see* KOROLEV AV.
TOOROP P, *see* BEWLEY JD.
TOOROP PE, VAN AELST AC, HILHORST HWM. The second step of the biphasic endosperm cap weakening that mediates tomato (*Lycopersicon esculentum*) seed germination is under the control of ABA 1371
Trejo C, *see* AGUILAR ML.
TREPP GB, *see* SCHOENBECK MA.
TRETHEWEY RN, *see* HAJIREZAEI M-R.
TREVANION SJ. Photosynthetic carbohydrate metabolism in wheat (*Triticum aestivum* L.) leaves: optimization of methods for determination of fructose 2,6-bisphosphate 1037
TRIBAK M, *see* GARCIA-GARRIDO JM.

TRUESDALE MR, *see* NORWOOD M.

TSUDA M, TYREE M. Plant hydraulic conductance measured by the high pressure flow meter in crop plants 823

TUBEROSA R, *see* FORSTER BP.

TURCSÁNYI E, LYONS T, PLÖCHL M, BARNES J. Does ascorbate in the mesophyll cell walls form the first line of defence against ozone? Testing the concept using broad bean (*Vicia faba* L.) 901

TURNBULL CGN, *see* DODD IC.

TURNER NC, *see* SHACKEL KA.

TYREE M, *see* TSUDA M.

TYREE MT, *see* WEI C.

ULLRICH CI, ALONI R. Vascularization is a general requirement for growth of plant and animal tumours (Review article) 1951

URBANELLI S, *see* FABBRI AA.

VADEZ V, SINCLAIR TR. Ureide degradation pathways in intact soybean leaves 1459

VALADIER M-H, *see* MURCHIE EH.

VALDEZ A, *see* GIBBS J.

VALOR JF, *see* GOOSSENS A.

VAN AELST AC, *see* TOOROP PE.

VAN AS H, *see* SCHEENEN TWJ.

VAN AS H, *see* VAN DER TOORN A.

VAN CAMP W, *see* VRANOVA E.

VAN DEN ENDE W, *see* VERGAUWEN R.

VAN DER PLAS LHW, *see* RIETVELD P.

VAN DER TOORN A, *see* WOLF K.

VAN DER TOORN A, ZEMAH H, VAN AS H, BENDEL P, KAMENETSKY R. Developmental changes and water status in tulip bulbs during storage: visualization by NMR imaging 1277

VAN DER WEELE CM, SPOLLEN WG, SHARP RE, BASKIN TI. Growth of *Arabidopsis thaliana* seedlings under water deficit studied by control of water potential in nutrient-agar media 1555

VAN DUSSCHOTEN D, *see* SCHEENEN TWJ.

VAN GELDER H, *see* VAN IEPEREN W.

VAN GINKEL M, *see* REYNOLDS MP.

VAN IEPEREN W, VAN MEETEREN U, VAN GELDER H. Fluid ionic composition influences hydraulic conductance of xylem conduits 769

VAN LAERE A, *see* VERGAUWEN R.

VAN MEETEREN U, *see* VAN IEPEREN W.

VAN MONTAGU M, *see* BELLES-BOIX E.

VAN MONTAGU M, *see* DE VEYLDER L.

VAN MONTAGU M, *see* GOOSSENS A.

VAN MONTAGU M, *see* VRANOVA E.

VAN WIJK R, *see* LANGEVELD SMJ.

VANCE CP, *see* SCHOENBECK MA.

VARANINI Z, *see* DELL'ORTO M.

VASSEUR J, *see* HELLEBOID S.

VASSY J, *see* DRISS-ECOLE D.

VEISSEIRE P, *see* BONNET M.

VERGAUWEN R, VAN DEN ENDE W, VAN LAERE A. The role of fructan in flowering of *Campanula rapunculoides* 1261

VICIENT CM, BIES-ETHEVE N, DELSENY M. Changes in gene expression in the *leafy cotyledon1* (*lec1*) and *fusca3* (*fus3*) mutants of *Arabidopsis thaliana* L. 995

VICIENT CM, HULL G, GUILLEMINOT J, DEVIC M, DELSENY M. Differential expression of the *Arabidopsis* genes coding for Em-like proteins 1211

VON ARNOLD S, *see* FILONOVA LH.

VON CAEMMERER S, *see* RUUSKA SA.

VRANOVÁ E, LANGEBARTELS C, VAN MONTAGU M, INZÉ D, VAN CAMP W. Oxidative stress, heat shock and drought differentially affect expression of a tobacco protein phosphatase $2C^1$ 1765

VUYLSTEKER C, CUVELLIER G, BERGER S, FAUGERON C, KARAMANOS Y. Evidence of two enzymes performing the de-N-glycosylation of proteins in barley: expression during germination, localization within the grain and set-up during grain formation 839

WAGSTAFF C, *see* FIRN RD.

WALCH-LIU P, NEUMANN G, BANGERTH F, ENGELS C. Rapid effects of nitrogen form on leaf morphogenesis in tobacco 227

WALKER NA, ZHANG W-H, HARRINGTON G, HOLDAWAY N, PATRICK JW. Effluxes of solutes from developing seed coats of *Phaseolus vulgaris* L. and *Vicia faba* L.: locating the effect of turgor in a coupled chemiosmotic system 1047

WALKER RP, *see* FAMIANI F.

WALTER A, *see* SCHURR U.

WANG C-W, *see* HOU W-C.

WANG H-L, LEE P-D, CHEN W-L, HUANG D-J, SU J-C. Osmotic stress-induced changes of sucrose metabolism in cultured sweet potato cells 1991

WANG Y-T, *see* HOU W-C.

WARREN CR, ADAMS MA. Capillary electrophoresis for the determination of major amino acids and sugars in foliage: application to the nitrogen nutrition of sclerophyllous species 1147

WARRILOW AGS, HAWKESFORD MJ. Cysteine synthase (*O*-acetylserine (thiol) lyase) substrate specificities classify the mitochondrial isoform as a cyanoalanine synthase 985

WATERHOUSE RN, *see* CLARKSON DT.

WATERWORTH WM, WEST CE, BRAY CM. The barley scutellar peptide transporter: biochemical characterization and localization to the plasma membrane 1201

WEI C, TYREE MT, BENNINK JP. The transmission of gas pressure to xylem fluid pressure when plants are inside a pressure bomb 309

WEINER H, *see* KANDLBINDER A.

WEISBEEK PJ, *see* RIETVELD P.

WELCH RM, *see* CAKMAK I.

WELIN B, *see* HOLMSTRÖM K-O.

WEST CE, *see* WATERWORTH WM.

WHEELER CT, TILAK M, SCRIMGEOUR CM, HOOKER JE, HANDLEY LL. Effects of symbiosis with *Frankia* and arbuscular mycorrhizal fungus on the natural abundance of ^{15}N in four species of *Casuarina* 287

WHEELER TR, *see* PRASAD PVV.

WICHERT K, *see* DIETZ K-J.

WILHELMI H, *see* BEISMANN H.

WILKINSON C, *see* RIETVELD P.

WILL R. Effect of different daytime and night-time temperature regimes on the foliar respiration of *Pinus taeda*: predicting the effect of variable temperature on acclimation 1733

WILLMITZER L, *see* HAJIREZAEI M-R.

WITTSTOCK U, CHEN S, HALKIER BA. A method for expression cloning of transporter genes by screening yeast for uptake of radiolabelled substrate 955

WOLF K, VAN DER TOORN A, HARTMANN K, SCHREIBER L, SCHWAB W, HAASE A, BRINGMANN G. Metabolite monitoring in plants with double-quantum filtered chemical shift imaging 2109

WOOD AJ, DUFF RJ, OLIVER MJ. The translational apparatus of *Tortula ruralis*: polysomal retention of transcripts encoding the ribosomal proteins RPS14, RPS16 and RPL23 in desiccated and rehydrated gametophytes 1655

Woodrow IE, *see* Mott KA.
Woolhead C, *see* Robinson C.
Wray JL, *see* Harris N.
Wu Y, Cosgrove DJ. Adaptation of roots to low water potentials by changes in cell wall extensibility and cell wall proteins 1543
Wu Y, *see* Dennis ES.
Wu Y, *see* Koch KE.
Xu L-K, *see* Hsiao TC.
Yamaguchi H, Nakanishi H, Nishizawa NK, Mori S. Isolation and characterization of *IDI2*, a new Fe-deficiency-induced cDNA from barley roots, which encodes a protein related to the α subunit of eukaryotic initiation factor 2B (eIF2Bα) 2001
Yamaguchi H, *see* Itai R.
Yamaguchi-Shinozaki K, *see* Mikami K.
Yamamoto N, *see* Makino A.
Yang S, *see* Grantz DA.
Yao J-L, *see* Kvarnheden A.
Yeo AR, *see* Flowers TJ.
Yeung EC, *see* Hays DB.
Ying Z, *see* Koch KE.
Yoneyama T, Fujiwara H, Engelaar WMHG. Weather and nodule mediated variations in $\delta^{14}C$ and $\delta^{15}N$ values in field-grown soybean (*Glycine max* L.) with special interest in the analyses of xylem fluids 559
Yoshimura E, *see* Itai R.
Yoshioka T, *see* Shibuya K.
Yule LJ, *see* Powell AA.
Zemah H, *see* Van der Toorn A.
Zhan X, *see* Kvarnheden A.
Zhang G, *see* Repo T.
Zhang H, Forde BG. Regulation of *Arabidopsis* root development by nitrate availability 51
Zhang J, *see* Lu C.
Zhang W-H, *see* Walker NA.
Zhang ZJ, *see* Ivandic V.
Zhou X, *see* Prithiviraj B.
Zhu G-L, *see* Proseus TE.
Zhu J-J, *see* Lohaus G.
Zhu Y-G, Smolders E. Plant uptake of radiocaesium: a review of mechanisms, regulation and application (Review article) 1635
Zocchi G, *see* De Nisi P.
Zocchi G, *see* Dell'Orto M.
Zubko MK, *see* Pyke K.

Keyword Index

ABA
ethylene; shoot growth; *flacca*; *notabilis*; abscisic acid; 1575
guard cells; mitogen activated protein kinases; MAPKs; PD98059; tyrosine phosphorylation; abscisic acid; 197
K^+ channels; roots; maize; 1585
stress; plant water relations; H^+/ATPase; apoplastic pH; 147
ABA and ABA glucose ester
Zea mays L.; roots; xylem sap; soil; 929
ABA isomers
RIA; MAC252; 305
Abi3
Em genes; gene expression; late embryogenesis; seed development; 995
Abiotic stress
genetic diversity; germplasm collections; SSR; barley; 9
molecular breeding; cultivated barley; *Hordeum vulgare*; wild barley; *Hordeum spontaneum*; molecular markers; 19
Abscisic acid
ABA; ethylene; shoot growth; *flacca*; *notabilis*; 1575
ABA; guard cells; mitogen activated protein kinases; MAPKs; PD98059; tyrosine phosphorylation; 197
abscisic acid glucose ester; apoplast; β-glucosidase; barley; salt stress; root:shoot signalling; 937
alcohol dehydrogenase; anoxia tolerance; ATP; *Lactuca sativa*; 1939
cryo-scanning electron microscopy; endosperm weakening; endo-β-mannanase; tomato seed germination; 1371
guard cell; gene expression; *Vicia faba*; 1479
in vitro; micropropagation; field survival; ventilation; 1861
seed germination; yellow cedar; coat-imposed dormancy; embryo; megagametophyte; 1159
Abscisic acid biosynthesis
mutants; cloning; plant stress; over-expression; 1563
Abscisic acid glucose ester
apoplast; β-glucosidase; barley; salt stress; root:shoot signalling; abscisic acid; 937
Acremonium lolii
antioxidant enzymes; chlorophyll *a* fluorescence; zinc toxicity; *Lolium perenne*; 945
Actin
cytoskeleton; immunolocalization; lentil root; pre-embedding technique; statocyte; 521
Activation state
nitrate reductase; *Ricinus communis* L.; protein phosphorylation; 14–3-3 proteins; 1099
Active oxygen species
calcium; *Nicotiana tabacum*; peroxidase; salicylic acid; signal transduction; 685
Adaptation
G × E interaction; principal component analysis; *Hordeum spontaneum*; drought; 2021
Aegopodium podagraria
stomatal conductance; stomata; light environment; CO_2 exchange; transpiration; 1741
Aequorin
vacuole; *Arabidopsis*; calcium signature; cold acclimation; 1679
Agrobacterium rhizogenes
benzylisoquinoline alkaloids; California poppy; *Eschscholzia californica*; hairy root cultures; opium poppy; *Papaver somniferum*; 1005
Agrobacterium tumefaciens
Arabidopsis thaliana ecotypes; transformation; *uvh1* mutant; phytohormones; 1961
phytohormone-directed vascular differentiation; plant and animal/human tumours; vascularization; water and solute transport; 1951
sequence; virulence genes; 1167
Air pollution
root:shoot communication; translocation; ozone; cotton; carbon allocation; oxidant; 919
Alcohol dehydrogenase
anoxia tolerance; ATP; *Lactuca sativa*; abscisic acid; 1939
flooding; anaerobiosis; *Oryza sativa*; phosphofructokinases; pyruvate decarboxylase; 785
sugar-sensing; invertase; sucrose synthase; 417
Alkalinity
cytoplasmic pH; *Dunaliella*; *Heterosigma*; Na^+-ATPase; membrane potential; Na^+/H^+-antiporter; plasma membrane; *Platymonas*; salinity; sodium pump; *Tetraselmis*; 1171
Allantoate amidohydrolase
boric acid; water deficit; ureide degradation; 1459
Allium cepa
hydraulic conductivity; water channels; aquaporins; mercuric chloride; roots; exodermis; 547
Allocation
arbuscular mycorrhiza; elevated carbon dioxide; nitrogen; pea; phosphorus; 1931
Aluminium tolerance
Betula pendula; hydroponics; plant morphology; aluminium toxicity; 1057
Aluminium toxicity
aluminium tolerance; *Betula pendula*; hydroponics; plant morphology; 1057
Amadori reactions
lipid peroxidation; Maillard reactions; seed ageing; seed deterioration; seed longevity; sugar hydrolysis; *Vigna radiata*; 1221
Amaranthus edulis
phosphoenolpyruvate carboxylase; CO_2 assimilation; control of photosynthesis; C_4 plants; 339
Amino acid
chlorophyll; protein; sucrose phosphate synthase; sucrose synthase; drought; leaf growth; sink–source transition; diurnal growth patterns; carbohydrate; 1515
nitrogen assimilation; pollen; 29
Amino acids
cotyledons; plasma membrane; proton symport; sucrose; 1663
nitrate; ammonium; capillary electrophoresis; sugars; 1147
plasma membrane; proton symport; seed coat; sucrose; 1671
Amino-acid nitrogen
cDNA-coated micro-projectiles; silicon carbide whiskers; Type II cultures; *Triticum aestivum*; 187
Ammonium
capillary electrophoresis; sugars; amino acids; nitrate; 1147
nitrate; leaf growth; cytokinin; 227
Ammonium efflux
cytoplasmic pH; GS/GOGAT pathway; NMR spectroscopy; vacuolar pH; 207
α-Amylase
anoxia; starch mobilization; translational control; 1475
β-Amylase
cucumber cotyledon; starch; sucrose; water stress; 739
Amyloplasts
protrusions; B-type starch granules; CLSM; wheat endosperm; 1357
Anaerobic conditions
flooding tolerance; molecular strategies; crop plants; waterlogging; 89
Anaerobiosis
aquatic plants; cytoplasmic acidification; ethanolic fermentation; nuclear magnetic resonance (NMR) spectroscopy; Pasteur effect; wetland plants; 1413
Oryza sativa; phosphofructokinases; pyruvate decarboxylase; alcohol dehydrogenase; flooding; 785
Anapleurotic pathway
nitrogen assimilation; protein kinase; C_3 PEPCase; C_4 PEPCase; 1349
Annuals
perennials; seasonality; flowering time; 1769
Anomodon viticulosus
bryophytes; desiccation tolerance; protein synthesis; *Rhytidiadelphus loreus*; *Racomitrium lanuginosum*; 1695
Anoxia
root tip; cell death; cysteine protease; 721
starch mobilization; translational control; α-amylase; 1475
Anoxia tolerance
ATP; *Lactuca sativa*; abscisic acid; alcohol dehydrogenase; 1939
Anther dehiscence
floret opening; sensory organ; trigger; two-rowed barley; 1319
Anthesis
auxins; gibberellic acid; filament; protandry; 1403
Anthocyanin
flavonoid; chlorophyll; carotenoid; *Quintinia serrata*; leaf; 1107
Antioxidant enzymes
chlorophyll *a* fluorescence; zinc toxicity; *Lolium perenne*; *Acremonium lolii*; 945
Antioxidants
ascorbate; apoplast; cell wall; ozone; detoxification; 901
ascorbate; biosynthesis; metabolism; vitamin C; 669
controlled atmosphere; ethylene; post-harvest; senescence; 645
maize; bundle sheath; mesophyll; temperature; 107
Apoplast
cell wall; ozone; detoxification; antioxidants; ascorbate; 901
maize; leaching; phloem transport; salt tolerance; 1721
β-glucosidase; barley; salt stress; root:shoot signalling; abscisic acid; abscisic acid glucose ester; 937
Apoplastic pH
ABA; stress; plant water relations; H^+/ATPase; 147
Apoptosis
cell death; centrifugation; *Kalanchoë daigremontiana*; nitric oxide; *Taxus brevifolia*; 1027
Apple
Arabidopsis; auxin; dioxygenase; primary root; 1765
CO_2 assimilation; leaf N content; *Malus domestica*; Rubisco activation state; 1687
APRT
barley; Fe deficiency; methionine cycle; mugineic acid; 1179
APS reductase
ATP sulphurylase; serine acetyltransferase; O-acetyl-L-serine (thiol) lyase; sulphite reductase; long-distance transport; leaf development; poplar trees; glutathione; sulphate; sulphur nutrition; 1077
Aquaporin
root; plasma membrane; *Lotus japonicus*; hydraulic conductivity; diurnal cycle; 61
Aquaporins
mercuric chloride; roots; exodermis; *Allium cepa*; hydraulic conductivity; water channels; 547
Aquatic plants
cytoplasmic acidification; ethanolic fermentation; nuclear magnetic resonance (NMR) spectroscopy; Pasteur effect; wetland plants; anaerobiosis; 1413
Arabidopsis
auxin; dioxygenase; primary root; apple; 1765
calcium signature; cold acclimation; aequorin; vacuole; 1679
clonal sectors; lineage analysis; FLP recombinase; site-specific recombination; 853
mutants; photosynthesis; sugars; mannose; 407
oxidative stress; Sec24; 1761
Arabidopsis thaliana
cell cycle; chemical-induced expression; cyclin-dependent kinase; 1647
cell division; polyethylene glycol; root and shoot growth; water deficit; 1555

© Society for Experimental Biology 2000

dynamin-like protein; pleckstrin homology (PH) domain; 317
embryogenesis; polarity; intercellular signalling; auxin; cell wall components; 971
Arabidopsis thaliana ecotypes
transformation; *wvh1* mutant; phytohormones; *Agrobacterium tumefaciens*; 1961
Arbuscular mycorrhiza
elevated carbon dioxide; nitrogen; pea; phosphorus; allocation; 1931
Glomus sp.; *Glycine max*; hydrolytic enzymes; 1443
plant defence; lipid transfer protein; 1969
Arbuscular mycorrhizas
Casuarina; *Frankia*; nitrogen fixation; nodules; 287
plasma membrane; 2D-PAGE; endomycorrhizins; V-type H^+-ATPase; 747
Arcelin
bruchid resistance; Mexican bean weevil; *Phaseolus*; *Zabrotes subfasciatus*; 1229
Arum italicum Miller
carotenoid pattern; chromoplasts; fruit maturation and ripening; plastid ultrastructure; 873
Ascorbate
apoplast; cell wall; ozone; detoxification; antioxidants; 901
biosynthesis; metabolism; vitamin C; antioxidants; 669
Asparagine
elevated CO_2; nodule; photosynthesis; carbohydrate; 1289
Asparagus officinalis
physical mapping; FISH; 965
ATP
Lactuca sativa; abscisic acid; alcohol dehydrogenase; anoxia tolerance; 1939
ATP/reductant balance
Calvin cycle; photosynthesis; whole cells; 347
ATP sulphurylase
serine acetyltransferase; O-acetyl-L-serine (thiol) lyase; sulphite reductase; long-distance transport; leaf development; poplar trees; glutathione; sulphate; sulphur nutrition; APS reductase; 1077
Atrazine
Brassica napus; D1 protein; fluorescence; herbicide tolerance; oxygen evolution; photoinhibition; ultraviolet-B radiation; 265
Auxin
cell wall components; *Arabidopsis thaliana*; embryogenesis; polarity; intercellular signalling; 971
dioxygenase; primary root; apple; *Arabidopsis*; 1765
gibberellin; mathematical model; tulip; cold treatment; 587
gravitropism; mutants; Cholodny; Went; 1323
IAA; calcium redistribution; gravitropic growth; growth-associated depositions (GAD); osmiophilic particles (OPs); *Tradescantia fluminensis* L.; wall-loosening; 579
Auxins
gibberellic acid; filament; protandry; anthesis; 1403
Avena sativa
dormancy; germination; $NADP^+$ phosphatase; 1389
Avocados
photoacoustic spectroscopy; nitric oxide; ethylene; strawberries; 1471
Azadirachta indica
chilling tolerance; desiccation tolerance; glassy state; seed storage; 635
BADH
CDH; salt stress; cold stress; photoinhibition; recovery; transgenic tobacco; 177
Banana
petiole; mechanics; buckling; torsion; 2085
Barley
abiotic stress; genetic diversity; germplasm collections; SSR; 9
de-N-glycosylation; ENGase; germination; PNGase; glucoamidase; 839
eIF2B; Fe-deficiency; iron; translation initiation factor; 2001
Fe deficiency; methionine cycle; mugineic acid; APRT; 1179
peroxidase; chalazal cell walls; grain development; microscopy; 507
salt stress; root:shoot signalling; abscisic acid; abscisic acid glucose ester; apoplast; β-glucosidase; 937
Base temperature
germination; phenology; thermal time; weeds; 275
Below ground
Nardus; competition; layered substrate; *Calluna* heathland; 1117
Bending
thigmomorphogenesis; tomato; biomechanics; growth; 1813
Benzylisoquinoline alkaloids
California poppy; *Eschscholzia californica*; hairy root cultures; opium poppy; *Papaver somniferum*; *Agrobacterium rhizogenes*; 1005
Beta vulgaris
storage organ; latex allergen; parenchymatous cells; 2125
Betula pendula
hydroponics; plant morphology; aluminium toxicity; aluminium tolerance; 1057
Bicarbonate transport
Chlorella kessleri; CO_2 transport; induction; 1341
Biomechanics
growth; bending; thigmomorphogenesis; tomato; 1813
mecanoperception; thigmomorphogenesis; strain; tomato stem; 1825
Biosynthesis
metabolism; vitamin C; antioxidants; ascorbate; 669
Blue light
HCO_3^- transport; CO_2 concentration; *Monoraphidium braunii*; photosynthesis; protein biosynthesis; 807
Boric acid
water deficit; ureide degradation; allantoate amidohydrolase; 1459
Brassica
cell lineage; epidermis; leaf development; spectinomycin; 1713
Brassica napus
D1 protein; fluorescence; herbicide tolerance; oxygen evolution; photoinhibition; ultraviolet-B radiation; atrazine; 265
germination; dormancy; temperature; DNA markers; oilseed rape; 2075
seed development; cotyledon expansion; microspore-derived embryos; ethylene production; 1851
Brassica oleracea var. *botrytis*
β-tubulin; controlled deterioration; germination; K_i; rate of deterioration ($1/\sigma$); 4C DNA; 2031
Bruchid resistance
Mexican bean weevil; *Phaseolus*; *Zabrotes subfasciatus*; arcelin;1229
Bryophytes
desiccation tolerance; protein synthesis; *Rhytidiadelphus loreus*; *Racomitrium lanuginosum*; *Anomodon viticulosus*; 1695
B-type starch granules
CLSM; wheat endosperm; amyloplasts; protrusions; 1357
Buckling
torsion; banana; petiole; mechanics; 2085
Bundle sheath
mesophyll; temperature; antioxidants; maize; 107
$\delta^{13}C$
$\delta^{15}N$; stress; drought; nitrogen; *Hordeum spontaneum*; 41
$\delta^{15}N$; nodule CO_2 fixation; N_2 fixation; soybean; 559
C : N ratios
Trifolium repens; *Lolium perenne*; nitrogen fixation; nitrogen uptake; growth rates; plant size; 1879
C_3 PEPCase
C_4 PEPCase; anapleurotic pathway; nitrogen assimilation; protein kinase; 1349
C_4 PEPCase
anapleurotic pathway; nitrogen assimilation; protein kinase; C_3 PEPCase; 1349
C_4 plants
Amaranthus edulis; phosphoenolpyruvate carboxylase; CO_2 assimilation; control of photosynthesis; 339
Cabbage
onion; edge effects; competition; soil; light; carrot; 605
Calcium
Nicotiana tabacum; peroxidase; salicylic acid; signal transduction; active oxygen species; 685
Calcium redistribution
gravitropic growth; growth-associated depositions (GAD); osmiophilic particles (OPs); *Tradescantia fluminensis* L.; wall-loosening; auxin; IAA; 579
Calcium signature
cold acclimation; aequorin; vacuole; *Arabidopsis*; 1679
California poppy
Eschscholzia californica; hairy root cultures; opium poppy; *Papaver somniferum*; *Agrobacterium rhizogenes*; benzylisoquinoline alkaloids; 1005
Calla
dormancy; MRI; tuberization; *Zantedeschia*; 2009
Calluna heathland
below ground; *Nardus*; competition; layered substrate; 1117
Calvin cycle
photosynthesis; whole cells; ATP/reductant balance; 347
Campanula
inulin; fructan; flowering; 1261
Capillary electrophoresis
sugars; amino acids; nitrate; ammonium; 1147
Capsicum
root temperature; growth; high-temperature stress; stomata; chemical signalling; 239
Carbohydrate
amino acid; chlorophyll; protein; sucrose phosphate synthase; sucrose synthase; drought; leaf growth; sink–source transition; diurnal growth patterns; 1515
asparagine; elevated CO_2; nodule; photosynthesis; 1289
Carbohydrate metabolism
Craterostigma; resurrection plants; octulose; 159
Carbon
partitioning; source–sink relationships; inflorescence; heterogeneity; photosynthesis; 1705
Carbon allocation
oxidant; air pollution; root:shoot communication; translocation; ozone; cotton; 919
Carbon dioxide
nitrogen; photosynthesis; *Triticum aestivum*; carboxylation; RuBP regeneration; 391
Carbon metabolism
Solanum tuberosum; potato tuber; invertase; development; 439
Carboxylation
RuBP regeneration; carbon dioxide; nitrogen; photosynthesis; *Triticum aestivum*; 391
Carnation
Dianthus caryophyllus; ethylene production; gynoecium; senescence; 2067
Carotenoid pattern
chromoplasts; fruit maturation and ripening; plastid ultrastructure; *Arum italicum* Miller; 873
Carotenoid
Quintinia serrata; leaf; anthocyanin; flavonoid; chlorophyll; 1107
Carrot
cabbage; onion; edge effects; competition; soil; light; 605
Casuarina
Frankia; nitrogen fixation; nodules; arbuscular mycorrhizas; 287
Catalase
Chara corallina; hydrogen peroxide; permeability coefficient; reflection coefficient; water channel; 2053
CDH
salt stress; cold stress; photoinhibition; recovery; transgenic tobacco; BADH; 177
4C DNA
Brassica oleracea var. *botrytis*; β-tubulin; controlled deterioration; germination; K_i; rate of deterioration ($1/\sigma$); 2031
cDNA cloning
cell proliferation; *Daucus carota*; heterologous expression; topoisomerase I; 1979
cDNA-coated micro-projectiles
silicon carbide whiskers; Type II cultures; *Triticum aestivum*; amino-acid nitrogen; 187
Cell cycle
chemical-induced expression; cyclin-dependent kinase; *Arabidopsis thaliana*; 1647
cyclin; fruit development; *Lycopersican esculentum*; 1789
Cell death
centrifugation; *Kalanchoë daigremontiana*; nitric oxide; *Taxus brevifolia*; apoptosis; 1027
cysteine protease; anoxia; root tip; 721
Cell differentiation
Mak-type kinase; expression; sugar beet; cell division; 2119

Cell division
cell size; endoreduplication; flow cytometry; maternal influence; *Pisum sativum*; 167
polyethylene glycol; root and shoot growth; water deficit; *Arabidopsis thaliana*; 1555
cell differentiation; Mak-type kinase; expression; sugar beet; cell division; 2119
Cell division rate
cell size; soil water status; evaporative demand; temperature; maize; leaf expansion rate; 1505
Cell enlargement
wall properties; elastic effects; cell walls; 1481
Cell lineage
epidermis; leaf development; spectinomycin; *Brassica*; 1713
Cell polarity
polar axis generation; polar axis modification; gravitropism; phototropism; 831
Cell proliferation
Daucus carota; heterologous expression; topoisomerase I; cDNA cloning; 1979
Cell size
endoreduplication; flow cytometry; maternal influence; *Pisum sativum*; cell division; 167
soil water status; evaporative demand; temperature; maize; leaf expansion rate; cell division rate; 1505
Cell wall
ozone; detoxification; antioxidants; ascorbate; apoplast; 901
Cell walls
cell enlargement; wall properties; elastic effects; 1481
pectic fibrillar expansions; tobacco; *Nicotiana tabacum*; cryptogein; 1799
Cell wall components
Arabidopsis thaliana; embryogenesis; polarity; intercellular signalling; auxin; 971
Cell wall proteins
compression wood; lignification; *Picea*; xylogenesis; 1395
Centrifugation
Kalanchoë daigremontiana; nitric oxide; *Taxus brevifolia*; apoptosis; cell death; 1027
Cereal nutrition
sulphate transporter; sulphur; S-limitation; S-inputs; S-mobilization; 131
Cereals
yield; photosynthesis; selectable traits; genetic manipulation; 447
Chalazal cell walls
grain development; microscopy; barley; peroxidase; 507
Chara corallina
hydrogen peroxide; permeability coefficient; reflection coefficient; water channel; catalase; 1951
Chemical signalling
Capsicum; root temperature; growth; high-temperature stress; stomata; 239
Chemical signals
partial rootzone drying; grapevine; hormonal changes; 1627
Chemical-induced expression
cyclin-dependent kinase; *Arabidopsis thaliana*; cell cycle; 1647
Chicory
nitrate reductase; phosphorylation; regulation; tuber formation; 539
Chilling
oxidative stress; glutathione reductase; superoxide dismutase; maize; 1867
Chilling temperatures
leaf gas exchange; stomata; chlorophyll fluorescence; circadian rhythm; 1893
Chilling tolerance
desiccation tolerance; glassy state; seed storage; *Azadirachta indica*; 635
Chitinases
osmotin-like proteins; microsequencing; immunoblots; *Cichorium*; leaves; somatic embryogenesis; extracellular proteins; β-1,3-glucanases; 1189
Chlorella kessleri
CO_2 transport; induction; bicarbonate transport; 1341
Chlorophyll
carotenoid; *Quintinia serrata*; leaf; anthocyanin; flavonoid; 1107
protein; sucrose phosphate synthase; sucrose synthase; drought; leaf growth; sink–source transition; diurnal growth patterns; carbohydrate; amino acid; 1515
sorghum; transgenic; pearl millet; QTL; drought; leaf senescence; productivity; stay-green; mutant; 329
stress responses; genetic modification; field trials; photosynthesis; 487
thermotolerance; heat stress; photosynthesis; wheat; mutants; 139
Chlorophyll *a* fluorescence
zinc toxicity; *Lolium perenne*; *Acremonium lolii*; antioxidant enzymes; 945
Chlorophyll deficient
ethylene; infection thread; nodulation mutant; nodule primordium development; 885
Chlorophyll fluorescence
circadian rhythm; chilling temperatures; leaf gas exchange; stomata; 1893
electron transport; photoinhibition; 659
light effect; PSII photochemistry; salt stress; *Spirulina platensis*; cyanobacterium; 911
Mehler reaction; oxygen exchange; Rubisco; tobacco; 357
Chloroplast
See system; translocase; thylakoid; proteins; 369
Chloroplast genome
chloroplast transformation; *ycf* 9; *orf* 62; tobacco; 375
Chloroplast transformation
ycf 9; *orf* 62; tobacco; chloroplast genome; 375
Cholodny
Went; auxin; gravitropism; mutants; 1323
Chromoplasts
fruit maturation and ripening; plastid ultrastructure; *Arum italicum* Miller; carotenoid pattern; 873
Cichorium
leaves; somatic embryogenesis; extracellular proteins; β-1,3-glucanases; chitinases; osmotin-like proteins; microsequencing; immunoblots; 1189
Circadian rhythm
chilling temperatures; leaf gas exchange; stomata; chlorophyll fluorescence; 1893
Cladistics
introgression; mapping; senescence; meristem; quantitative trait; genome dosage; plant breeding; 1781
Clonal sectors
lineage analysis; FLP recombinase; site-specific recombination; *Arabidopsis*; 853
Cloning
plant stress; over-expression; abscisic acid biosynthesis; mutants; 1563
CLSM
wheat endosperm; amyloplasts; protrusions; B-type starch granules; 1357
CO_2 assimilation
control of photosynthesis; C_4 plants; *Amaranthus edulis*; phosphoenolpyruvate carboxylase; 339
leaf N content; *Malus domestica*; activation state; apple; 1687
CO_2 concentration
Monoraphidium braunii; photosynthesis; protein biosynthesis; blue light; HCO_3^- transport; 807
CO_2 exchange
transpiration; *Aegopodium podagraria*; stomatal conductance; stomata; light environment; 1741
CO_2 transport
induction; bicarbonate transport; *Chlorella kessleri*; 1341
Coat-imposed dormancy
embryo; megagametophyte; abscisic acid; seed germination; yellow cedar; 1159
Cold acclimation
aequorin; vacuole; *Arabidopsis*; calcium signature; 1679
Cold stress
photoinhibition; recovery; transgenic tobacco; BADH; CDH; salt stress; 177
Cold treatment
auxin; gibberellin; mathematical model; tulip; 587
Coleoptile elongation
Hordeum vulgare; xyloglucan endotransglycosylase; 847
Compartmentation
enzyme kinetics; cysteine synthase; *O*-acetylserine (thiol) lyase; cyanoalanine synthase; 985
Compatible solute
genetic engineering; glycinebetaine; stress tolerance; transgenic plants; 81
Competition
layered substrate; *Calluna* heathland; below ground; *Nardus*; 1117
soil; light; carrot; cabbage; onion; edge effects; 605
Composite transport
hydraulic conductivity; regulation; root; stress; water deficit; water uptake; 1531
Compression wood
lignification; *Picea*; xylogenesis; cell wall proteins; 1395
Computer modelling
photosynthesis; genetic manipulation techniques; 319
Control of photosynthesis
C_4 plants; *Amaranthus edulis*; phosphoenolpyruvate carboxylase; CO_2 assimilation; 339
Controlled atmosphere
ethylene; post-harvest; senescence; antioxidants; 645
Controlled deterioration
germination; K_i; rate of deterioration ($1/\sigma$); 4C DNA; *Brassica oleracea* var. *botrytis*; β-tubulin; 2031
Controlled environments
potato; laser micrometer; tuber growth; on-line measurement; 961
Cotton
carbon allocation; oxidant; air pollution; root:shoot communication; translocation; ozone; 919
Cotyledon expansion
microspore-derived embryos; ethylene production; *Brassica napus*; seed development; 1851
Cotyledons
cysteine proteinases; embryonic axis; germination; globulin mobilization; vetch; 1423
plasma membrane; proton symport; sucrose; amino acids; 1663
Craterostigma
resurrection plants; octulose; carbohydrate metabolism; 159
Critical water potential
desiccation sensitivity; drying rate; recalcitrant seed; *Theobroma cacao*; water stress; 1911
Crocus sativus L.
glycoconjugate; proteoglycan; root morphogenesis; 731
Crop plants
waterlogging; anaerobic conditions; flooding tolerance; molecular strategies; 89
Crop yield
genetic manipulation; light harvesting; photosynthesis; 475
Cryo-scanning electron microscopy
endosperm weakening; endo-β-mannanase; tomato seed germination; abscisic acid; 1371
Cryptogein
cell walls; pectic fibrillar expansions; tobacco; *Nicotiana tabacum*; 1799
Cucumber cotyledon
starch; sucrose; water stress; β-amylase; 739
Cucumis sativus
Fe-deficiency; phospho*enol*pyruvate carboxylase; 1903
Cultivated barley
Hordeum vulgare; wild barley; *Hordeum spontaneum*; molecular markers; abiotic stress; molecular breeding; 19
Cyanoalanine synthase
compartmentation; enzyme kinetics; cysteine synthase; *O*-acetylserine (thiol) lyase; 985
Cyanobacterium
chlorophyll fluorescence; light effect; PSII photochemistry; salt stress; *Spirulina platensis*; 911
Cyclin
fruit development; *Lycopersican esculentum*; cell cycle; 1789
Cyclin-dependent kinase
Arabidopsis thaliana; cell cycle; chemical-induced expression; 1647
Cysteine protease
anoxia; root tip; cell death; 721
Cysteine proteinases
embryonic axis; germination; globulin mobilization; vetch; cotyledons; 1423
Cysteine synthase
O-acetylserine (thiol) lyase; cyanoalanine synthase; compartmentation; enzyme kinetics; 985
Cytokinin
ammonium; nitrate; leaf growth; 227
Cytoplasmic acidification
ethanolic fermentation; nuclear magnetic resonance (NMR) spectroscopy; Pasteur effect; wetland plants; anaerobiosis; aquatic plants; 1413

Cytoplasmic pH
Dunaliella; *Heterosigma*; Na^+-ATPase; membrane potential; Na^+/H^+-antiporter; plasma membrane; *Platymonas*; salinity; sodium pump; *Tetraselmis*; alkalinity; 1171
GS/GOGAT pathway; NMR spectroscopy; vacuolar pH; ammonium efflux; 207
Cytoskeleton
immunolocalization; lentil root; pre-embedding technique; statocyte; actin; 521
D1 protein
fluorescence; herbicide tolerance; oxygen evolution; photoinhibition; ultraviolet-B radiation; atrazine; *Brassica napus*; 265
Dactylis glomerata L.
Festuca ovina L.; maintenance; protein turnover; relative growth rate; specific respiratory costs; 1089
Daucus carota
heterologous expression; topoisomerase I; cDNA cloning; cell proliferation; 1979
solute accumulation; sugar storage; SiCSA; 567
Day/night cycle
sunflower; dehydrin transcript; drought stress; 299
Defoliation
N-supply; *Festuca rubra*; rhizodeposition; 1449
Dehydrin transcript
drought stress; day/night cycle; sunflower; 299
Dehydroascorbate reductase
glutathione; mitochondria; mung bean; sweet potato; trypsin inhibitor; 713
De-N-glycosylation
ENGase; germination; PNGase; glucoamidase; barley; 839
Desiccation
moss; ribosomal protein; *Tortula ruralis*; translation; 1655
Desiccation sensitivity
drying rate; recalcitrant seed; *Theobroma cacao*; water stress; critical water potential; 1911
Desiccation tolerance
glassy state; seed storage; *Azadirachta indica*; chilling tolerance; 635
protein synthesis; *Rhytidiadelphus loreus*; *Racomitrium lanuginosum*; *Anomodon viticulosus*; bryophytes; 1695
Detoxification
antioxidants; ascorbate; apoplast; cell wall; ozone; 901
Development
carbon metabolism; *Solanum tuberosum*; potato tuber; invertase; 439
epidermis; differentiation; trichome; stomata; 497
Dianthus caryophyllus
ethylene production; gynoecium; senescence; carnation; 2067
Differential screening
1-methylcyclopropene (MCP); Japanese pear; *Pyrus pyrifolia*; fruit ripening; 1163
Differentiation
trichome; stomata; development; epidermis; 497
Dioxygenase
primary root; apple; *Arabidopsis*; auxin; 1765
Diurnal cycle
aquaporin; root; plasma membrane; *Lotus japonicus*; hydraulic conductivity; 61
Diurnal growth patterns
carbohydrate; amino acid; chlorophyll; protein; sucrose phosphate synthase; sucrose synthase; drought; leaf growth; sink–source transition; 1515
DNA markers
oilseed rape; *Brassica napus*; germination; dormancy; temperature; 2075
DNA polymerase
pea; *Pisum sativum*; primer; primer-recognition protein; DNA-binding protein; 1945
DNA-binding protein
DNA polymerase; pea; *Pisum sativum*; primer; primer-recognition protein; 1945
D-ononitol
source-sink disturbance; seed production; transgenic tobacco; mannitol; 115
Dormancy
germination; $NADP^+$ phosphatase; *Avena sativa*; 1389
MRI; tuberization; *Zantedeschia*; calla; 2009
temperature; DNA markers; oilseed rape; *Brassica napus*; germination; 2075
2D-PAGE
endomycorrhizins; V-type H^+-ATPase; arbuscular mycorrhizas; plasma membrane; 747
Drag
plants; safety factors; stem taper; trees; wind; 797
Drought
adaptation; G × E interaction; principal component analysis; *Hordeum spontaneum*; 2021
expansin; peroxidase; water deficits; wall loosening; xyloglucan endotransglycosylase; 1543
heat shock; *Nicotiana*; oxidative stress; PP2C; 1765
Lavandula stoechas; Mediterranean vegetation; *Olea europea*; photosynthesis; *Rosmarinus officinalis*; ultraviolet-B; water stress; 1309
leaf growth; sink–source transition; diurnal growth patterns; carbohydrate; amino acid; chlorophyll; protein; sucrose phosphate synthase; sucrose synthase; 1515
leaf senescence; productivity; stay-green; mutant; chlorophyll; sorghum; transgenic; pearl millet; QTL; 329
nitrogen; *Hordeum spontaneum*; $\delta^{13}C$; $\delta^{15}N$; stress; 41
Drought stress
day/night cycle; sunflower; dehydrin transcript; 299
Dry matter content
frost hardiness; impedance spectroscopy; relaxation time; Scots pine; 2095
Drying rate
recalcitrant seed; *Theobroma cacao*; water stress; critical water potential; desiccation sensitivity; 1911
Dual beam irradiation
gas exchange; light signal transduction; phytohormone; stomatal opening; 1435
Dunaliella
Heterosigma; Na^+-ATPase; membrane potential; Na^+/H^+-antiporter; plasma membrane; *Platymonas*; salinity; sodium pump; *Tetraselmis*; alkalinity; cytoplasmic pH; 1171
Dynamin-like protein
pleckstrin homology (PH) domain; *Arabidopsis thaliana*; 317
Edge effects
competition; soil; light; carrot; cabbage; onion; 605
Efflux
seed coat; turgor; potassium; sucrose-proton antiport; 1047
eIF2B
Fe-deficiency; iron; translation initiation factor; barley; 2001
Elastic effects
cell walls; cell enlargement; wall properties; 1481
Elasticity
fracture; plant ecology; growth strains; scanning electron microscopy; 617
Electron transport
photoinhibition; chlorophyll fluorescence; 659
Elevated carbon dioxide
nitrogen; pea; phosphorus; allocation; arbuscular mycorrhiza; 1931
Solanum tuberosum L.; transgenic plants; potato; 429
Elevated CO_2
nitrogen; *Oryza sativa* L.; photosynthesis; Rubisco; 383
nodule; photosynthesis; carbohydrate; asparagine; 1289
Em genes
gene expression; late embryogenesis; seed development; *Abi3*; 995
Embolism
Tsuga canadensis; *Nicotiana rustica*; pressure bomb; 309
Embryo
megagametophyte; abscisic acid; seed germination; yellow cedar; coat-imposed dormancy; 1159
Embryogenesis
LEA; promoter; transgenic; 1211
polarity; intercellular signalling; auxin; cell wall components; *Arabidopsis thaliana*; 971
Embryonic axis
germination; globulin mobilization; vetch; cotyledons; cysteine proteinases; 1423
Endodermis
exodermis; heavy metals; lignin; phi thickenings; 595
Endomycorrhizins
V-type H^+-ATPase; arbuscular mycorrhizas; plasma membrane; 2D-PAGE; 747
Endoreduplication
flow cytometry; maternal influence; *Pisum sativum*; cell division; cell size; 167
Endosperm
β-1,3 glucanase; germination; tomato seed; 1381
Endosperm weakening
endo-β-mannanase; tomato seed germination; abscisic acid; cryo-scanning electron microscopy; 1371
Endo-β-mannanase
softening; ripening; tomato; *Lycopersican esculentum*; 529
tomato seed germination; abscisic acid; cryo-scanning electron microscopy; endosperm weakening; 1371
ENGase
germination; PNGase; glucoamidase; barley; de-N-glycosylation; 839
Enzyme kinetics
cysteine synthase; *O*-acetylserine (thiol) lyase; cyanoalanine synthase; compartmentation; 985
Epidermis
differentiation; trichome; stomata; development; 497
leaf development; spectinomycin; *Brassica*; cell lineage; 1713
Eschscholzia californica
hairy root cultures; opium poppy; *Papaver somniferum*; *Agrobacterium rhizogenes*; benzylisoquinoline alkaloids; California poppy; 1005
Ethanolic fermentation
nuclear magnetic resonance (NMR) spectroscopy; Pasteur effect; wetland plants; anaerobiosis; aquatic plants; cytoplasmic acidification; 1413
Ethylene
infection thread; nodulation mutant; nodule primordium development; chlorophyll deficient; 885
polyamines; germination; *Hordeum vulgare*; 1843
post-harvest; senescence; antioxidants; controlled atmosphere; 645
shoot growth; *flacca*; *notabilis*; abscisic acid; ABA; 1575
strawberries; avocados; photoacoustic spectroscopy; nitric oxide; 1471
Ethylene production
Brassica napus; seed development; cotyledon expansion; microspore-derived embryos; 1851
gynoecium; senescence; carnation; *Dianthus caryophyllus*; 2067
Evaporative demand
temperature; maize; leaf expansion rate; cell division rate; cell size; soil water status; 1505
Evaporative flux method
high pressure flow meter method; hydraulic conductance; root; shoot; water potential; variable conductance; 823
Exodermis
Allium cepa; hydraulic conductivity; water channels; aquaporins; mercuric chloride; roots; 547
heavy metals; lignin; phi thickenings; endodermis; 595
Expansin
peroxidase; water deficits; wall loosening; xyloglucan endotransglycosylase; drought; 1543
Expansive growth
yield threshold; hydraulic isolation of growth zone; leaky cable model of root water uptake; 1595
Expression
Mak-type kinase; sugar beet; cell division; cell differentiation; 2119
Expression screening
yeast; transporter; uptake; 955
Extracellular proteins
β-1,3-glucanases; chitinases; osmotin-like proteins; microsequencing; immunoblots; *Cichorium*; leaves; somatic embryogenesis; 1189
Fagaceae
water relations; temperature; hydraulic conductance; stomata; oak; *Quercus robur* L.; 1255
Far-red light
phytochrome A; *Pharbitis nil*; photoperiodism; short-day plant; 703
FBPase
light; temperature; stress; pea plants; thioredoxins; 1299
Fe deficiency
methionine cycle; mugineic acid; APRT; barley; 1179

H^+-ATPase; plasma membrane; proton extrusion; rhizosphere; 695
iron; translation initiation factor; barley; eIF2B; 2001
phospho*enol*pyruvate carboxylase; *Cucumis sativus*; 1903
Festuca ovina L.
maintenance; protein turnover; relative growth rate; specific respiratory costs; *Dactylis glomerata* L.; 1089
Festuca rubra
rhizodeposition; defoliation; N-supply; 1449
Field survival
ventilation; abscisic acid; *in vitro*; micropropagation; 1861
Field trials
photosynthesis; chlorophyll; stress responses; genetic modification; 487
Filament
protandry; anthesis; auxins; gibberellic acid; 1403
FISH
Asparagus officinalis; physical mapping; 965
flacca
notabilis; abscisic acid; ABA; ethylene; shoot growth; 1575
Flavonoid
chlorophyll; carotenoid; *Quintinia serrata*; leaf; anthocyanin; 1107
Flooding
anaerobiosis; *Oryza sativa*; phosphofructokinases; pyruvate decarboxylase; alcohol dehydrogenase; 785
Flooding tolerance
molecular strategies; crop plants; waterlogging; anaerobic conditions; 89
Floral development
storage; temperature treatment; geophytes; MRI; SEM; tulip bulb; 1277
Floret opening
sensory organ; trigger; two-rowed barley; anther dehiscence; 1319
Flow cytometry
maternal influence; *Pisum sativum*; cell division; cell size; endoreduplication;167
Flow quantification
xylem; NMR imaging; propagator; water transport; 1751
Flowering
Campanula; inulin; fructan; 1261
fruit-set; heat stress; temperature; groundnut; 777
Flowering time
annuals; perennials; seasonality; 1769
FLP recombinase
site-specific recombination; *Arabidopsis*; clonal sectors; lineage analysis; 853
Fluorescence
herbicide tolerance; oxygen evolution; photoinhibition; ultraviolet-B radiation; atrazine; *Brassica napus*; D1 protein; 265
Fracture
plant ecology; growth strains; scanning electron microscopy; elasticity; 617
Frankia
nitrogen fixation; nodules; arbuscular mycorrhizas; *Casuarina*; 287
Frost hardiness
impedance spectroscopy; relaxation time; Scots pine; dry matter content; 2095
Fructan
flowering; *Campanula*; inulin; 1261
Fructose 2,6-bisphosphate
photosynthesis; starch; sucrose; wheat; 1037
Fruit
invertase; NADP-malic enzyme; phosphoenolpyruvate carboxylase; glutamine synthetase; *Vitis vinifera*; 675
Fruit development
Lycopersican esculentum; cell cycle; cyclin; 1789
Fruit maturation and ripening
plastid ultrastructure; *Arum italicum* Miller; carotenoid pattern; chromoplasts; 873
Fruit ripening
differential screening; 1-methylcyclopropene (MCP); Japanese pear; *Pyrus pyrifolia*; 1163
Fruit-set
heat stress; temperature; groundnut; flowering; 777
G × E interaction
principal component analysis; *Hordeum spontaneum*; drought; adaptation; 2021
Gas exchange
light signal transduction; phytohormone; stomatal opening; dual beam irradiation; 1435
Gene expression
genomic organization; nitrate reductase; potato; *Solanum tuberosum* L. cv. Desireé; 1017
late embryogenesis; seed development; *Abi3*; *Em* genes; 995
Vicia faba; abscisic acid; guard cell; 1479
Genetic diversity
germplasm collections; SSR; barley; abiotic stress; 9
Genetic engineering
glycinebetaine; stress tolerance; transgenic plants; compatible solute; 81
Genetic manipulation
cereals; yield; photosynthesis; selectable traits; 447
light harvesting; photosynthesis; crop yield; 475
Genetic manipulation techniques
computer modelling; photosynthesis; 319
Genetic modification
field trials; photosynthesis; chlorophyll; stress responses; 487
wheat breeding; yield potential; radiation use efficiency; photosynthesis; 459
Genome dosage
plant breeding; cladistics; introgression; mapping; senescence; meristem; quantitative trait; 1781
Genomic organization
nitrate reductase; potato; *Solanum tuberosum* L. cv. Desireé; gene expression; 1017
Genomics
marker technology; trait analysis phenocentric; plant genome; phenotype gap; 1
Genotypic variation
radiolabelled Cd; uptake; translocation; wheat; 221
Geophytes
MRI; SEM; tulip bulb; floral development; storage; temperature treatment; 1277
Germination
dormancy; temperature; DNA markers; oilseed rape; *Brassica napus*; 2075
globulin mobilization; vetch; cotyledons; cysteine proteinases; embryonic axis; 1423
Hordeum vulgare; ethylene; polyamines; 1843
Hordeum vulgare; peptide transport; scutellum; 1201
K_i; rate of deterioration ($1/\sigma$); 4C DNA; *Brassica oleracea* var. *botrytis*; β-tubulin; controlled deterioration; 2031
$NADP^+$ phosphatase; *Avena sativa*; dormancy; 1389
phenology; thermal time; weeds; base temperature; 275
phytochrome; high-irradiance response; 1127
PNGase; glucoamidase; barley; de-N-glycosylation; ENGase; 839
tomato seed; endosperm; β-1,3 glucanase; 1381
Germplasm collections
SSR; barley; abiotic stress; genetic diversity; 9
Gibberellic acid
filament; protandry; anthesis; auxins; 1403
Gibberellin
mathematical model; tulip; cold treatment; auxin; 587
Glassy state
seed storage; *Azadirachta indica*; chilling tolerance; desiccation tolerance; 635
Globulin mobilization
vetch; cotyledons; cysteine proteinases; embryonic axis; germination; 1423
Glomus sp.
Glycine max; hydrolytic enzymes; arbuscular mycorrhiza; 1443
β-1,3 Glucanase
germination; tomato seed; endosperm; 1381
β-1,3-Glucanases
chitinases; osmotin-like proteins; microsequencing; immunoblots; *Cichorium*; leaves; somatic embryogenesis; extracellular proteins; 1189
Glucoamidase
barley; de-N-glycosylation; ENGase; germination; PNGase; 839
β-Glucosidase
barley; salt stress; root:shoot signalling; abscisic acid; abscisic acid glucose ester; apoplast; 937
Glutamine synthetase
Vitis vinifera; fruit; invertase; NADP-malic enzyme; phosphoenolpyruvate carboxylase; 675
Glutathione
mitochondria; mung bean; sweet potato; trypsin inhibitor; dehydroascorbate reductase; 713
sulphate; sulphur nutrition; APS reductase; ATP sulphurylase; serine acetyltransferase; O-acetyl-L-serine (thiol) lyase; sulphite reductase; long-distance transport; leaf development; poplar trees; 1077
Glutathione reductase
superoxide dismutase; maize; chilling; oxidative stress; 1867
Glycine max
hydrolytic enzymes; arbuscular mycorrhiza; *Glomus* sp.; 1443
Glycinebetaine
stress tolerance; transgenic plants; compatible solute; genetic engineering; 81
Glycoconjugate
proteoglycan; root morphogenesis; *Crocus sativus* L.; 731
Grain development
microscopy; barley; peroxidase; chalazal cell walls; 507
Grain legumes
protoplast fusion; *Pisum sativum* L.; *Lathyrus sativus* L.; 1237
Grapevine
hormonal changes; chemical signals; partial rootzone drying; 1627
Grasses
leaf angles; height/length ratios; 1467
Gravitropic growth
growth-associated depositions (GAD); osmiophilic particles (OPs); *Tradescantia fluminensis* L.; wall-loosening; auxin; IAA; calcium redistribution; 579
Gravitropism
mutants; Cholodny; Went; auxin; 1323
phototropism; cell polarity; polar axis generation; polar axis modification; 831
Groundnut
flowering; fruit-set; heat stress; temperature; 777
Growth
bending; thigmomorphogenesis; tomato; biomechanics; 1813
high-temperature stress; stomata; chemical signalling; *Capsicum*; root temperature; 239
Growth-associated depositions (GAD)
osmiophilic particles (OPs); *Tradescantia fluminensis* L.; wall-loosening; auxin; IAA; calcium redistribution; gravitropic growth; 579
Growth rates
plant size; C:N ratios; *Trifolium repens*; *Lolium perenne*; nitrogen fixation; nitrogen uptake; 1879
Growth regulation
water use efficiency; root-to-shoot signalling; partial root drying; root hydraulic architecture; tomato; 1617
Growth strains
scanning electron microscopy; elasticity; fracture; plant ecology; 617
GS/GOGAT pathway
NMR spectroscopy; vacuolar pH; ammonium efflux; cytoplasmic pH; 207
Guard cell
gene expression; *Vicia faba*; abscisic acid; 1479
Guard cells
mitogen activated protein kinases; MAPKs; PD98059; tyrosine phosphorylation; abscisic acid; ABA; 197
Gynoecium
senescence; carnation; *Dianthus caryophyllus*; ethylene production; 2067
H^+-ATPase
apoplastic pH; ABA; stress; plant water relations; 147
plasma membrane; proton extrusion; rhizosphere; Fe-deficiency; 695
Hairy root cultures
opium poppy; *Papaver somniferum*; *Agrobacterium rhizogenes*; benzylisoquinoline alkaloids; California poppy; *Eschscholzia californica*; 1005
HCO^- transport
CO_2 concentration; *Monoraphidium braunii*; photosynthesis; protein biosynthesis; blue light; 807
Heat shock
Nicotiana; oxidative stress; PP2C; drought; 1765
Heat stress
photosynthesis; wheat; mutants; chlorophyll; thermotolerance; 139
temperature; groundnut; flowering; fruit-set; 777
Heavy metals
lignin; phi thickenings; endodermis; exodermis; 595

Height/length ratios
grasses; leaf angles; 1467
Herbicide tolerance
oxygen evolution; photoinhibition; ultraviolet-B radiation; atrazine; *Brassica napus*; D1 protein; fluorescence; 265
Heterogeneity
photosynthesis; carbon; partitioning; source–sink relationships; inflorescence; 1705
Heterologous expression
topoisomerase I; cDNA cloning; cell proliferation; *Daucus carota*; 1979
Heterosigma
Na^+-ATPase; membrane potential; Na^+/H^+-antiporter; plasma membrane; *Platymonas*; salinity; sodium pump; *Tetraselmis*; alkalinity; cytoplasmic pH; *Dunaliella*; 1171
High pressure flow meter method
hydraulic conductance; root; shoot; water potential; variable conductance; evaporative flux method; 823
High-irradiance response
germination; phytochrome; 1127
High-temperature stress
stomata; chemical signalling; *Capsicum*; root temperature; growth; 239
Hordeum spontaneum
molecular markers; abiotic stress; molecular breeding; cultivated barley; *Hordeum vulgare*; wild barley; 19
$\delta^{13}C$; $\delta^{15}N$; stress; drought; nitrogen; 41
drought; adaptation; G × E interaction; principal component analysis; 2021
Hordeum vulgare
ethylene; polyamines; germination; 1843
peptide transport; scutellum; germination; 1201
wild barley; *Hordeum spontaneum*; molecular markers; abiotic stress; molecular breeding; cultivated barley; 19
xyloglucan endotransglycosylase; coleoptile elongation; 847
Hormonal changes
chemical signals; partial rootzone drying; grapevine; 1627
Hydraulic conductance
root; shoot; water potential; variable conductance; evaporative flux method; high pressure flow meter method; 823
stomata; oak; *Quercus robur* L.; Fagaceae; water relations; temperature; 1255
Hydraulic conductivity
diurnal cycle; aquaporin; root; plasma membrane; *Lotus japonicus*; 61
regulation; root; stress; water deficit; water uptake; composite transport; 1531
water channels; aquaporins; mercuric chloride; roots; exodermis; *Allium cepa*; 547
Hydraulic isolation of growth zone
leaky cable model of root water uptake; expansive growth; yield threshold; 1595
Hydrogen peroxide
permeability coefficient; reflection coefficient; water channel; catalase; *Chara corallina*; 2053
Hydrolytic enzymes
arbuscular mycorrhiza; *Glomus* sp.; *Glycine max*; 1443
Hydroponics
plant morphology; aluminium toxicity; aluminium tolerance; *Betula pendula*; 1057
IAA
calcium redistribution; gravitropic growth; growth-associated depositions (GAD); osmiophilic particles (OPs); *Tradescantia fluminensis* L.; wall-loosening; auxin; 579
Immunoblots
Cichorium; leaves; somatic embryogenesis; extracellular proteins; β-1,3-glucanases; chitinases; osmotin-like proteins; microsequencing; 1189
Immunolocalization
lentil root; pre-embedding technique; statocyte; actin; cytoskeleton; 521
Impedance spectroscopy
relaxation time; Scots pine; dry matter content; frost hardiness; 2095
In vitro
micropropagation; field survival; ventilation; abscisic acid; 1861
Indole-3-acetic acid
lipids; lipid hydroperoxides; mitosis; wounding; 1267
Induction
bicarbonate transport; *Chlorella kessleri*; CO_2 transport; 1341
Infection thread
nodulation mutant; nodule primordium development; chlorophyll deficient; ethylene; 885
Inflorescence
heterogeneity; photosynthesis; carbon; partitioning; source–sink relationships; 1705
Intercellular signalling
auxin; cell wall components; *Arabidopsis thaliana*; embryogenesis; polarity; 971
Introgression
mapping; senescence; meristem; quantitative trait; genome dosage; plant breeding; cladistics; 1781
Inulin
fructan; flowering; *Campanula*;1261
Invertase
development; carbon metabolism; *Solanum tuberosum*; potato tuber; 439
Ipomoea batatas; osmotic stress; radiotracer study; sucrose-phosphate synthase; sucrose synthase; 1991
NADP-malic enzyme; phosphoenolpyruvate carboxylase; glutamine synthetase; *Vitis vinifera*; fruit; 675
sucrose synthase; alcohol dehydrogenase; sugar-sensing; 417
Ion competition
plant uptake; phytoremediation; radiocaesium; potassium; 1635
Ion transporters
Vicia faba; osmoregulation; plasma membrane; 1243
Ipomoea batatas
osmotic stress; radiotracer study; sucrose-phosphate synthase; sucrose synthase; invertase; 1991
Iron
translation initiation factor; barley; eIF2B; Fe-deficiency; 2001
Irrigation
turgor pressure; pod wall; water stress; 895
Japanese pear
Pyrus pyrifolia; fruit ripening; differential screening; 1-methylcyclopropene (MCP); 1163
K^+ channels
roots; maize; ABA; 1585
Kalanchoë daigremontiana
nitric oxide; *Taxus brevifolia*; apoptosis; cell death; centrifugation; 1027
K_i
rate of deterioration ($1/\sigma$); 4C DNA; *Brassica oleracea* var. *botrytis*; β-tubulin; controlled deterioration; germination; 2031
Lactuca sativa
abscisic acid; alcohol dehydrogenase; anoxia tolerance; ATP; 1939
Laser micrometer
tuber growth; on-line measurement; controlled environments; potato; 961
Late embryogenesis
seed development; *Abi3*; *Em* genes; gene expression; 995
Lateral roots
nitrate; plasticity; root architecture; signalling; 51
Latex allergen
parenchymatous cells; *Beta vulgaris*; storage organ; 2125
Lathyrus sativus L.
grain legumes; protoplast fusion; *Pisum sativum* L.; 1237
Lavandula stoechas
Mediterranean vegetation; *Olea europea*; photosynthesis; *Rosmarinus officinalis*; ultraviolet-B; water stress; drought; 1309
Layered substrate
Calluna heathland; below ground; *Nardus*; competition; 1117
LEA
promoter; transgenic; embryogenesis; 1211
Leaching
phloem transport; salt tolerance; apoplast; maize; 1721
Leaf
anthocyanin; flavonoid; chlorophyll; carotenoid; *Quintinia serrata*; 1107
Leaf angles
height/length ratios; grasses; 1467
Leaf development
poplar trees; glutathione; sulphate; sulphur nutrition; APS reductase; ATP sulphurylase; serine acetyltransferase; O-acetyl-L-serine (thiol) lyase; sulphite reductase; long-distance transport; 1077
spectinomycin; *Brassica*; cell lineage; epidermis; 17, 3
Leaf expansion rate
cell division rate; cell size; soil water status; evaporative demand; temperature; maize; 1505
Leaf gas exchange
stomata; chlorophyll fluorescence; circadian rhythm; chilling temperatures; 2067
Leaf growth
cytokinin; ammonium; nitrate; 227
sink–source transition; diurnal growth patterns; carbohydrate; amino acid; chlorophyll; protein; sucrose phosphate synthase; sucrose synthase; drought; 1515
water stress; salinity; 1495
Leaf N content
Malus domestica; Rubisco activation state; apple; CO_2 assimilation; 1687
Leaf senescence
productivity; stay-green; mutant; chlorophyll; sorghum; transgenic; pearl millet; QTL; drought; 329
Leaky cable model of root water uptake
expansive growth; yield threshold; hydraulic isolation of growth zone; 1595
Leaves
somatic embryogenesis; extracellular proteins; β-1,3-glucanases; chitinases; osmotin-like proteins; microsequencing; immunoblots; *Cichorium*; 1189
Lentil root
pre-embedding technique; statocyte; actin; cytoskeleton; immunolocalization; 521
Light
carrot; cabbage; onion; edge effects; competition; soil; 605
photon flux density; Rubisco; Rubisco activase; photosynthesis; model; 399
temperature; stress; pea plants; thioredoxins; FBPase; 1299
Light effect
PSII photochemistry; salt stress; *Spirulina platensis*; cyanobacterium; chlorophyll fluorescence; 911
Light environment
CO_2 exchange; transpiration; *Aegopodium podagraria*; stomatal conductance; stomata; 1741
Light harvesting
photosynthesis; crop yield; genetic manipulation; 475
Light signal transduction
phytohormone; stomatal opening; dual beam irradiation; gas exchange; 1435
Lignification
Picea; xylogenesis; cell wall proteins; compression wood; 1395
Lignin
phi thickenings; endodermis; exodermis; heavy metals; 595
Lineage analysis
FLP recombinase; site-specific recombination; *Arabidopsis*; clonal sectors; 853
Lipid hydroperoxides
membrane oxidation; signalling; 1363
mitosis; wounding; indole-3-acetic acid; lipids; 1267
Lipid peroxidation
Maillard reactions; seed ageing; seed deterioration; seed longevity; sugar hydrolysis; *Vigna radiata*; Amadori reactions; 1221
Lipid transfer protein
arbuscular mycorrhiza; plant defence; 1969
Lipids
lipid hydroperoxides; mitosis; wounding; indole-3-acetic acid; 1267
Lipo-chito-oligosaccharide
soybean; root hair deformation, nodulation; phenol; Nod factor; 2045
Loblolly pine
Pinus taeda L.; respiration; temperature; thermal acclimation; 1733
Localized NMR spectroscopy
metabolite monitoring; sugar cane; NMR imaging; 2109
Lolium perenne
Acremonium lolii; antioxidant enzymes; chlorophyll *a* fluorescence; zinc toxicity; 945
nitrogen fixation; nitrogen uptake; growth rates; plant size; C:N ratios; *Trifolium repens*; 1879
Long-distance transport
leaf development; Poplar trees; glutathione; sulphate; sulphur nutrition; APS reductase; ATP sulphurylase; serine acetyltransferase;

O-acetyl-L-serine (thiol) lyase; sulphite reductase; 1077
Lotus japonicus
hydraulic conductivity; diurnal cycle; aquaporin; root; plasma membrane; 61
Lycopersican esculentum
cell cycle; cyclin; fruit development; 1789
endo-β-mannanase; softening; ripening; tomato; 529
MAC252
ABA isomers; R1A; 305
Maillard reactions
seed ageing; seed deterioration; seed longevity; sugar hydrolysis; *Vigna radiata*; Amadori reactions; lipid peroxidation; 1221
Maintenance
protein turnover; relative growth rate; specific respiratory costs; *Dactylis glomerata* L.; *Festuca ovina* L.; 1089
Maize
ABA; K^+ channels; roots; 1585
bundle sheath; mesophyll; temperature; antioxidants; 107
chilling; oxidative stress; glutathione reductase; superoxide dismutase; 1867
leaching; phloem transport; salt tolerance; apoplast; 1721
leaf expansion rate; cell division rate; cell size; soil water status; evaporative demand; temperature; 1505
oxidative damage; protein degradation; 123
Mak-type kinase
expression; sugar beet; cell division; cell differentiation; 2119
Malus domestica
Rubisco activation state; apple; CO_2 assimilation; leaf N content; 1687
Mannitol
D-ononitol; source-sink disturbance; seed production; transgenic tobacco; 115
Mannose
Arabidopsis; mutants; photosynthesis; sugars; 407
MAPKs
PD98059; tyrosine phosphorylation; abscisic acid; ABA; guard cells; mitogen activated protein kinases; 197
Mapping
senescence; meristem; quantitative trait; genome dosage; plant breeding; cladistics; introgression; 1781
Marker technology
trait analysis phenocentric; phenotype gap; plant genome; genomics; 1
Marker-aided-selection
salt tolerance; rice; *Oryza sativa*; plant breeding; QTL; 99
Maternal influence
Pisum sativum; cell division; cell size; endoreduplication; flow cytometry; 167
Mathematical model
tulip; cold treatment; auxin; gibberellin; 587
Mecanoperception
thigmomorphogenesis; strain; tomato stem; biomechanics; 1825
Mechanics
buckling; torsion; banana; petiole; 2085
Mediterranean shrubs
natural CO_2 springs; stomatal conductance; stomatal density; water relations; water use efficiency; 1135
Mediterranean vegetation
Olea europea; photosynthesis; *Rosmarinus officinalis*; ultraviolet-B; water stress; drought; *Lavandula stoechas*; 1309
Megagametophyte
abscisic acid; seed germination; yellow cedar; coat-imposed dormancy; embryo; 1159
Mehler reaction
oxygen exchange; Rubisco; tobacco; chlorophyll fluorescence; 357
Membrane oxidation
signalling; lipid hydroperoxides; 1363
Membrane potential
Na^+/H^+-antiporter; plasma membrane; *Platymonas*; salinity; sodium pump; *Tetraselmis;* alkalinity; cytoplasmic pH; *Dunaliella*; *Heterosigma*; Na^+-ATPase; 1171
Mercuric chloride
roots; exodermis; *Allium cepa*; hydraulic conductivity; water channels; aquaporins; 547
Meristem
quantitative trait; genome dosage; plant breeding; cladistics; introgression; mapping; senescence; 1781
Meristem respiration
spatial distribution; root system architecture; *Prunus persica* (L.) Batsch.; O_2-microelectrode; 755
Mesophyll
temperature; antioxidants; maize; bundle sheath; 107
Metabolism
vitamin C; antioxidants; ascorbate; biosynthesis; 669
Metabolite monitoring
sugar cane; NMR imaging; localized NMR spectroscopy; 2109
Methionine cycle
mugineic acid; APRT; barley; Fe deficiency; 1179
1-Methylcyclopropene (MCP)
Japanese pear; *Pyrus pyrifolia*; fruit ripening; differential screening; 1163
Mexican bean weevil
Phaseolus; *Zabrotes subfasciatus*; arcelin; bruchid resistance; 1229
Micropropagation
field survival; ventilation; abscisic acid; *in vitro*; 1861
Microscopy
barley; peroxidase; chalazal cell walls; grain development; 507
Microsequencing
immunoblots; *Cichorium*; leaves; somatic embryogenesis; extracellular proteins; β-1,3-glucanases; chitinases; osmotin-like proteins; 1189
Microspore-derived embryos
ethylene production; *Brassica napus*; seed development; cotyledon expansion; 1851
Mitochondria
mung bean; sweet potato; trypsin inhibitor; dehydroascorbate reductase; glutathione; 713
Mitochondrial heterogeneity
mitochondria-targeted GFP; subcellular dynamics; 865
Mitochondria-targeted GFP
subcellular dynamics; mitochondrial heterogeneity; 865
Mitogen activated protein kinases
MAPKs; PD98059; tyrosine phosphorylation; abscisic acid; ABA; guard cells; 197
Mitosis
wounding; indole-3-acetic acid; lipids; lipid hydroperoxides; 1267
Model
light; photon flux density; Rubisco; Rubisco activase; photosynthesis; 399
Molecular breeding
cultivated barley; *Hordeum vulgare*; wild barley; *Hordeum spontaneum*; molecular markers; abiotic stress; 19
Molecular markers
abiotic stress; molecular breeding; cultivated barley; *Hordeum vulgare*; wild barley; *Hordeum spontaneum*; 19
Molecular strategies
crop plants; waterlogging; anaerobic conditions; flooding tolerance; 89
Monoraphidium braunii
photosynthesis; protein biosynthesis; blue light; HCO_3^- transport; CO_2 concentration; 807
Moss
ribosomal protein; *Tortula ruralis*; translation; desiccation; 1655
MRI
SEM; tulip bulb; floral development; storage; temperature treatment; geophytes; 1277
tuberization; *Zantedeschia*; calla; dormancy; 2009
Mugineic acid
APRT; barley; Fe deficiency; methionine cycle; 1179
Mung bean
sweet potato; trypsin inhibitor; dehydroascorbate reductase; glutathione; mitochondria; 713
Mutant
chlorophyll; sorghum; transgenic; pearl millet; QTL; drought; leaf senescence; productivity; stay-green; 329
Mutants
chlorophyll; thermotolerance; heat stress; photosynthesis; wheat; 139
Cholodny; Went; auxin; gravitropism; 1323
cloning; plant stress; over-expression; abscisic acid biosynthesis; 1563
photosynthesis; sugars; mannose; *Arabidopsis*; 407
$\delta^{15}N$
nodule CO_2 fixation; N_2 fixation; soybean; $\delta^{13}C$; 559
stress; drought; nitrogen; *Hordeum spontaneum*; $\delta^{13}C$; 41
N_2 fixation
soybean; $\delta^{13}C$; $\delta^{15}N$; nodule CO_2 fixation; 559
Na^+/H^+-antiporter
plasma membrane; *Platymonas*; salinity; sodium pump; *Tetraselmis;* alkalinity; cytoplasmic pH; *Dunaliella*; *Heterosigma*; Na^+-ATPase; membrane potential; 1171
Na^+-ATPase
membrane potential; Na^+/H^+-antiporter; plasma membrane; *Platymonas*; salinity; sodium pump; *Tetraselmis;* alkalinity; cytoplasmic pH; *Dunaliella*; *Heterosigma*; 1171
$NADP^+$ phosphatase
Avena sativa; dormancy; germination; 1389
NADP-malic enzyme
phosphoenolpyruvate carboxylase; glutamine synthetase; *Vitis vinifera*; fruit; invertase; 675
Nardus
competition; layered substrate; *Calluna* heathland; below ground; 1117
Natural CO_2 springs
stomatal conductance; stomatal density; water relations; water use efficiency; Mediterranean shrubs; 1135
Nicotiana
oxidative stress; PP2C; drought; heat shock; 1765
Nicotiana rustica
pressure bomb; embolism; *Tsuga canadensis*; 309
Nicotiana tabacum
cryptogein; cell walls; pectic fibrillar expansions; tobacco; 1799
peroxidase; salicylic acid; signal transduction; active oxygen species; calcium; 685
Nitrate
ammonium; capillary electrophoresis; sugars; amino acids; 1147
leaf growth; cytokinin; ammonium; 227
plasticity; root architecture; signalling; lateral roots; 51
Nitrate reductase
phosphorylation; regulation; tuber formation; chicory; 539
potato; *Solanum tuberosum* L. cv. Desireé; gene expression; genomic organization; 1017
Ricinus communis L.; protein phosphorylation; 14–3-3 proteins; activation state; 1099
Nitric oxide
ethylene; strawberries; avocados; photoacoustic spectroscopy; 1471
Taxus brevifolia; apoptosis; cell death; centrifugation; *Kalanchoë daigremontiana*; 1027
Nitrogen
Hordeum spontaneum; $\delta^{13}C$; $\delta^{15}N$; stress; drought; 41
Oryza sativa L.; photosynthesis; Rubisco; elevated CO_2; 383
pea; phosphorus; allocation; arbuscular mycorrhiza; elevated carbon dioxide; 1931
photosynthesis; *Triticum aestivum*; carboxylation; RuBP regeneration; carbon dioxide; 391
Nitrogen accumulation
nitrogen availability; tiller number; spring wheat; straw height; 1921
Nitrogen assimilation
pollen; amino acid; 29
protein kinase; C_3 PEPCase; C_4 PEPCase; anapleurotic pathway; 1349
Nitrogen availability
tiller number; spring wheat; straw height; nitrogen accumulation; 1921
Nitrogen fixation
nitrogen uptake; growth rates; plant size; C:N ratios; *Trifolium repens*; *Lolium perenne*; 1879
nodules; arbuscular mycorrhizas; *Casuarina*; *Frankia*; 287
Nitrogen uptake
growth rates; plant size; C:N ratios; *Trifolium repens*; *Lolium perenne*; nitrogen fixation; 1879
NMR imaging
localized NMR spectroscopy; metabolite monitoring; sugar cane; 2109
propagator; water transport; flow quantification; xylem; 1751
NMR spectroscopy
vacuolar pH; ammonium efflux; cytoplasmic pH; GS/GOGAT pathway; 207
Nod factor
lipo-chito-oligosaccharide; soybean; root hair deformation; nodulation; phenol; 2045

Nodulation
phenol; Nod factor; lipo-chito-oligosaccharide; soybean; root hair deformation; 2045
Nodulation mutant
nodule primordium development; chlorophyll deficient; ethylene; infection thread; 885
Nodule
photosynthesis; carbohydrate; asparagine; elevated CO_2; 1289
Nodules
arbuscular mycorrhizas; *Casuarina*; *Frankia*; nitrogen fixation; 287
Nodule CO_2 fixation
N_2 fixation; soybean; $\delta^{13}C$; $\delta^{15}N$; 559
Nodule primordium development
chlorophyll deficient; ethylene; infection thread; nodulation mutant; 885
notabilis
abscisic acid; ABA; ethylene; shoot growth; *flacca*; 1575
N-supply
Festuca rubra; rhizodeposition; defoliation; 1449
Nuclear magnetic resonance (NMR) spectroscopy
Pasteur effect; wetland plants; anaerobiosis; aquatic plants; cytoplasmic acidification; ethanolic fermentation; 1413
O_2-microelectrode
meristem respiration; spatial distribution; root system architecture; *Prunus persica* (L.) Batsch.; 755
O-acetyl-L-serine (thiol) lyase
cyanoalanine synthase; compartmentation; enzyme kinetics; 985
sulphite reductase; long-distance transport; leaf development; poplar trees; glutathione; sulphate; sulphur nutrition; APS reductase; ATP sulphurylase; serine acetyltransferase; 1077
Oak
Quercus robur L.; Fagaceae; water relations; temperature; hydraulic conductance; stomata; 1255
Octulose
carbohydrate metabolism; *Craterostigma*; resurrection plants; 159
Oilseed rape
Brassica napus; germination; dormancy; temperature; DNA markers; 2075
Olea europea
photosynthesis; *Rosmarinus officinalis*; ultraviolet-B; water stress; drought; *Lavandula stoechas*; Mediterranean vegetation; 1309
Onion
edge effects; competition; soil; light; carrot; cabbage; 605
On-line measurement
controlled environments; potato; laser micrometer; tuber growth; 961
Opium poppy
Papaver somniferum; *Agrobacterium rhizogenes*; benzylisoquinoline alkaloids; california poppy; *Eschscholzia californica*; hairy root cultures; 1005
orf 62
tobacco; chloroplast genome; chloroplast transformation; *ycf* 9; 375
Oryza sativa L.
photosynthesis; Rubisco; elevated CO_2; nitrogen; 383
Oryza sativa
phosphofructokinases; pyruvate decarboxylase; alcohol dehydrogenase; flooding; anaerobiosis; 785
plant breeding; QTL; marker-aided-selection; salt tolerance; rice; 99
Osmiophilic particles (OPs)
Tradescantia fluminensis L.; wall-loosening; auxin; IAA; calcium redistribution; gravitropic growth; growth-associated depositions (GAD); 579
Osmoregulation
plasma membrane; ion transporters; *Vicia faba*; 1243
Osmotic stress
radiotracer study; sucrose-phosphate synthase; sucrose synthase; invertase; *Ipomoea batatas*; 1991
Osmotin-like proteins
microsequencing; immunoblots; *Cichorium*; leaves; somatic embryogenesis; extracellular proteins; β-glucanases; chitinases; 1189
Over-expression
abscisic acid biosynthesis; mutants; cloning; plant stress; 1563
Oxidant
air pollution; root:shoot communication; translocation; ozone; cotton; carbon allocation; 919
Oxidative damage
protein degradation; maize; 123
Oxidative stress
glutathione reductase; superoxide dismutase; maize; chilling; 1867
PP2C; drought; heat shock; *Nicotiana*; 1765
Sec24; *Arabidopsis*; 1761
Oxygen evolution
photoinhibition; ultraviolet-B radiation; atrazine; *Brassica napus*; D1 protein; fluorescence; herbicide tolerance; 265
Oxygen exchange
Rubisco; tobacco; chlorophyll fluorescence; Mehler reaction; 357
Ozone
cotton; carbon allocation; oxidant; air pollution; root:shoot communication; translocation; 19
detoxification; antioxidants; ascorbate; apoplast; cell wall; 901
Papaver somniferum
Agrobacterium rhizogenes; benzylisoquinoline alkaloids; California poppy; *Eschscholzia californica*; hairy root cultures; opium poppy; 1005
Parenchymatous cells
Beta vulgaris; storage organ; latex allergen; 2125
Partial root drying
root hydraulic architecture; tomato; growth regulation; water use efficiency; root-to-shoot signalling; 1617
Partial rootzone drying
grapevine; hormonal changes; chemical signals; 1627
Partitioning
source–sink relationships; inflorescence; heterogeneity; photosynthesis; carbon; 1705
Pasteur effect
wetland plants; anaerobiosis; aquatic plants; cytoplasmic acidification; ethanolic fermentation; nuclear magnetic resonance (NMR) spectroscopy; 1413
PD98059
tyrosine phosphorylation; abscisic acid; ABA; guard cells; mitogen activated protein kinases; MAPKs; 197
Pea
phosphorus; allocation; arbuscular mycorrhiza; elevated carbon dioxide; nitrogen; 1931
Pisum sativum; primer; primer-recognition protein; DNA-binding protein; DNA polymerase; 1945
Pea plants
thioredoxins; FBPase; light; temperature; stress; 1299
Pearl millet
QTL; drought; leaf senescence; productivity; stay-green; mutant; chlorophyll; sorghum; transgenic; 329
Pectic fibrillar expansions
tobacco; *Nicotiana tabacum*; cryptogein; cell walls; 1799
Peptide transport
scutellum; germination; *Hordeum vulgare*; 1201
Perennials
seasonality; flowering time; annuals; 1769
Permeability coefficient
reflection coefficient; water channel; catalase; *Chara corallina*; hydrogen peroxide; 2053
Peroxidase
chalazal cell walls; grain development; microscopy; barley; 507
salicylic acid; signal transduction; Active oxygen species; calcium; *Nicotiana tabacum*; 685
water deficits; wall loosening; xyloglucan endotransglycosylase; drought; expansin; 1543
Petiole
mechanics; buckling; torsion; banana; 2085
Pharbitis nil
photoperiodism; short-day plant; far-red light; phytochrome A; 703
Phaseolus
Zabrotes subfasciatus; arcelin; bruchid resistance; Mexican bean weevil; 1229
Phenol
Nod factor; lipo-chito-oligosaccharide; soybean; root hair deformation; nodulation; 2045
Phenology
thermal time; weeds; base temperature; germination; 275
Phenotype gap
plant genome; genomics; marker technology; trait analysis phenocentric; 1
Phi thickenings
endodermis; exodermis; heavy metals; lignin; 595
Phloem transport
salt tolerance; apoplast; maize; leaching; 1721
Phosphoenolpyruvate carboxylase
CO_2 assimilation; control of photosynthesis; C_4 plants; *Amaranthus edulis*; 339
Cucumis sativus; Fe-deficiency; 1903
glutamine synthetase; *Vitis vinifera*; fruit; invertase; NADP-malic enzyme; 675
Phosphofructokinases
pyruvate decarboxylase; alcohol dehydrogenase; flooding; anaerobiosis; *Oryza sativa*; 785
Phosphorus
allocation; arbuscular mycorrhiza; elevated carbon dioxide; nitrogen; pea; 1931
Phosphorylation
regulation; tuber formation; chicory; nitrate reductase; 539
Photoacoustic spectroscopy
nitric oxide; ethylene; strawberries; avocados; 1471
Photoinhibition
chlorophyll fluorescence; electron transport; 659
recovery; transgenic tobacco; BADH; CDH; salt stress; cold stress; 177
ultraviolet-B radiation; atrazine; *Brassica napus*; D1 protein; fluorescence; herbicide tolerance; oxygen evolution; 265
Photon flux density
Rubisco; Rubisco activase; photosynthesis; model; light; 399
Photoperiodism
short-day plant; far-red light; phytochrome A; *Pharbitis nil*; 703
Photosynthesis
carbohydrate; asparagine; elevated CO_2; nodule; 1289
carbon; partitioning; source–sink relationships; inflorescence; heterogeneity; 1705
chlorophyll; stress responses; genetic modification; field trials; 487
crop yield; genetic manipulation; light harvesting; 475
genetic manipulation techniques; computer modelling; 319
genetic modification; wheat breeding; yield potential; radiation use efficiency; 459
model; light; photon flux density; Rubisco; Rubisco activase; 399
protein biosynthesis; blue light; HCO^- transport; CO_2 concentration; *Monoraphidium braunii*; 807
Rosmarinus officinalis; ultraviolet-B; water stress; drought; *Lavandula stoechas*; Mediterranean vegetation; *Olea europea*; 1309
Rubisco; elevated CO_2; nitrogen; *Oryza sativa* L.; 383
selectable traits; genetic manipulation; cereals; yield; 447
starch; sucrose; wheat; fructose 2,6-bisphosphate; 1037
sugars; mannose; *Arabidopsis*; mutants; 407
Triticum aestivum; carboxylation; RuBP regeneration; carbon dioxide; nitrogen; 391
wheat; mutants; chlorophyll; thermotolerance; heat stress; 139
whole cells; ATP/reductant balance; Calvin cycle; 347
Phototropism
cell polarity; polar axis generation; polar axis modification; gravitropism; 831
Physical mapping
FISH; *Asparagus officinalis*; 965
Phytochrome
high-irradiance response; germination; 1127
Phytochrome A
Pharbitis nil; photoperiodism; short-day plant; far-red light; 703
Phytohormone
stomatal opening; dual beam irradiation; gas exchange; light signal transduction; 1435
Phytohormones
Agrobacterium tumefaciens; *Arabidopsis thaliana* ecotypes; transformation; *wht1* mutant; 1961
Phytohormone-directed vascular differentiation
plant and animal/human tumours; vascularization; water and solute transport; *Agrobacterium tumefaciens*; 1951

Phytoremediation
radiocaesium; potassium; ion competition; plant uptake; 1635
Picea
xylogenesis; cell wall proteins; compression wood; lignification; 1395
Picea abies
proembryogenic mass; somatic embryo; time-lapse cell tracking; 249
Pinus taeda L.
respiration; temperature; thermal acclimation; loblolly pine; 1733
Pisum sativum
cell division; cell size; endoreduplication; flow cytometry; maternal influence; 167
primer; primer-recognition protein; DNA-binding protein; DNA polymerase; pea; 1945
Pisum sativum L.
Lathyrus sativus L.; grain legumes; protoplast fusion; 1237
Plant and animal/human tumours
vascularization; water and solute transport; *Agrobacterium tumefaciens*; phytohormone-directed vascular differentiation; 1951
Plant breeding
cladistics; introgression; mapping; senescence; meristem; quantitative trait; genome dosage; 1781
QTL; marker-aided-selection; salt tolerance; rice; *Oryza sativa*; 99
Plant defence
lipid transfer protein; arbuscular mycorrhiza; 1969
Plant ecology
growth strains; scanning electron microscopy; elasticity; fracture; 617
Plant genome
genomics; marker technology; trait analysis phenocentric; phenotype gap; 1
Plant morphology
aluminium toxicity; aluminium tolerance; *Betula pendula*; hydroponics; 1057
Plant size
C:N ratios; *Trifolium repens*; *Lolium perenne*; nitrogen fixation; nitrogen uptake; growth rates; 1879
Plant stress
over-expression; abscisic acid biosynthesis; mutants; cloning; 1563
Plant uptake
phytoremediation; radiocaesium; potassium; ion competition; 1635
Plant water relations
H^+/ATPase; apoplastic pH; ABA; stress; 147
Plants
safety factors; stem taper; trees; wind; drag; 797
Plasma membrane
2D-PAGE; endomycorrhizins; V-type H^+-ATPase; arbuscular mycorrhizas; 747
ion transporters; *Vicia faba*; osmoregulation; 1243
Lotus japonicus; hydraulic conductivity; diurnal cycle; aquaporin; root; 61
Platymonas; salinity; sodium pump; *Tetraselmis;* alkalinity; cytoplasmic pH; *Dunaliella*; *Heterosigma*; Na^+-ATPase; membrane potential; Na^+/H^+-antiporter; 1171
proton extrusion; rhizosphere; Fe-deficiency; H^+-ATPase; 695
proton symport; seed coat; sucrose; amino acids; 1671
proton symport; sucrose; amino acids; cotyledons; 1663
Plasticity
root architecture; signalling; lateral roots; nitrate; 51
Plastid ultrastructure
Arum italicum Miller; carotenoid pattern; chromoplasts; fruit maturation and ripening; 873
Platymonas
salinity; sodium pump; *Tetraselmis;* alkalinity; cytoplasmic pH; *Dunaliella*; *Heterosigma*; Na^+-ATPase; membrane potential; Na^+/H^+-antiporter; plasma membrane; 1171
Pleckstrin homology (PH) domain
Arabidopsis thaliana; dynamin-like protein;317
PNGase
glucoamidase; barley; de-N-glycosylation; ENGase; germination; 839
Poa alpina
senescence; tylosis; pseudovivipary; water; 1067
Pod wall
water stress; irrigation; turgor pressure; 895
Polar axis generation
polar axis modification; gravitropism; phototropism; cell polarity; 831
Polar axis modification
gravitropism; phototropism; cell polarity; polar axis generation; 831
Polarity
intercellular signalling; auxin; cell wall components; *Arabidopsis thaliana*; embryogenesis; 971
Pollen
amino acid; nitrogen assimilation; 29
Polyamines
germination; *Hordeum vulgare*; ethylene; 1843
Polyethylene glycol
root and shoot growth; water deficit; *Arabidopsis thaliana*; cell division; 1555
Poplar trees
glutathione; sulphate; sulphur nutrition; APS reductase; ATP sulphurylase; serine acetyltransferase; O-acetyl-L-serine (thiol) lyase; sulphite reductase; long-distance transport; leaf development; 1077
Post-harvest
senescence; antioxidants; controlled atmosphere; ethylene; 645
Potassium
ion competition; plant uptake; phytoremediation; radiocaesium; 1635
sucrose-proton antiport; efflux; seed coat; turgor; 1047
Potato
elevated carbon dioxide; *Solanum tuberosum* L.; transgenic plants; 429
laser micrometer; tuber growth; on-line measurement; controlled environments; 961
Solanum tuberosum L. cv. Desireé; gene expression; genomic organization; nitrate reductase; 1017
Potato tuber
invertase; development; carbon metabolism; *Solanum tuberosum*; 439
PP2C
drought; heat shock; *Nicotiana*; oxidative stress; 1765
Pre-embedding technique
statocyte; actin; cytoskeleton; immunolocalization; lentil root; 521
Pressure bomb
embolism; *Tsuga canadensis*; *Nicotiana rustica*; 309
Primary root
apple; *Arabidopsis*; auxin; dioxygenase; 1765
Primer
primer-recognition protein; DNA-binding protein; DNA polymerase; pea; *Pisum sativum*; 1945
Primer-recognition protein
DNA-binding protein; DNA polymerase; pea; *Pisum sativum*; primer; 1945
Principal component analysis
Hordeum spontaneum; drought; adaptation; G × E interaction; 2021
Productivity
stay-green; mutant; chlorophyll; sorghum; transgenic; pearl millet; QTL; drought; leaf senescence; 329
Proembryogenic mass
somatic embryo; time-lapse cell tracking; *Picea abies*; 249
Promoter
source-sink; vascular bundle; 817
transgenic; embryogenesis; LEA; 1211
Propagator
water transport; flow quantification; xylem; NMR imaging; 1751
Protandry
anthesis; auxins; gibberellic acid; filament; 1403
Protein
sucrose phosphate synthase; sucrose synthase; drought; leaf growth; sink–source transition; diurnal growth patterns; carbohydrate; amino acid; chlorophyll; 1515
Protein biosynthesis
blue light; HCO_3^- transport; CO_2 concentration; *Monoraphidium braunii;* photosynthesis; 807
Protein degradation
maize; oxidative damage; 123
Protein kinase
C_3 PEPCase; C_4 PEPCase; anapleurotic pathway; nitrogen assimilation; 1349
Protein phosphorylation
14–3-3 proteins; activation state; nitrate reductase; *Ricinus communis* L.; 1099
Protein synthesis
Rhytidiadelphus loreus; *Racomitrium lanuginosum*; *Anomodon viticulosus*; bryophytes; desiccation tolerance; 1695
Protein turnover
relative growth rate; specific respiratory costs; *Dactylis glomerata* L.; *Festuca ovina* L.; maintenance; 1089
14–3-3 Proteins
activation state; nitrate reductase; *Ricinus communis* L.; protein phosphorylation; 1099
Proteins
chloroplast; Sec system; translocase; thylakoid; 369
Proteoglycan
root morphogenesis; *Crocus sativus* L.; glycoconjugate; 731
Proton extrusion
rhizosphere; Fe-deficiency; H^+-ATPase; plasma membrane; 695
Proton symport
seed coat; sucrose; amino acids; plasma membrane; 1671
sucrose; amino acids; cotyledons; plasma membrane; 1663
Protoplast fusion
Pisum sativum L.; *Lathyrus sativus* L.; grain legumes; 1237
Protrusions
B-type starch granules; CLSM; wheat endosperm; amyloplasts; 1357
Prunus persica (L.) Batsch.
O_2-microelectrode; meristem respiration; spatial distribution; root system architecture; 755
Pseudovivipary
water; *Poa alpina*; senescence; tylosis; 1067
PSII photochemistry
salt stress; *Spirulina platensis*; cyanobacterium; chlorophyll fluorescence; light effect; 911
Pyrus pyrifolia
fruit ripening; differential screening; 1-methylcyclopropene (MCP); Japanese pear; 1163
Pyruvate decarboxylase
alcohol dehydrogenase; flooding; anaerobiosis; *Oryza sativa*; phosphofructokinases; 785
QTL
drought; leaf senescence; productivity; stay-green; mutant; chlorophyll; sorghum; transgenic; pearl millet; 329
marker-aided-selection; salt tolerance; rice; *Oryza sativa*; plant breeding; 99
Quantitative trait
genome dosage; plant breeding; cladistics; introgression; mapping; senescence; meristem; 1781
Quercus robur L.
Fagaceae; water relations; temperature; hydraulic conductance; stomata; oak; 1255
Quintinia serrata
leaf; anthocyanin; flavonoid; chlorophyll; carotenoid; 1107
Racomitrium lanuginosum
Anomodon viticulosus; bryophytes; desiccation tolerance; protein synthesis; *Rhytidiadelphus loreus*; 1695
Radiation use efficiency
photosynthesis; genetic modification; wheat breeding; yield potential; 459
Radiocaesium
potassium; ion competition; plant uptake; phytoremediation; 1635
Radiolabelled Cd
uptake; translocation; wheat; genotypic variation; 221
Radiotracer study
sucrose-phosphate synthase; sucrose synthase; invertase; *Ipomoea batatas*; osmotic stress; 1991
Rate of deterioration ($1/\sigma$)
4C DNA; *Brassica oleracea* var. *botrytis*; β-tubulin; controlled deterioration; germination; K_i; 2031
Recalcitrant seed
Theobroma cacao; water stress; critical water potential; desiccation sensitivity; drying rate; 1911
Recovery
transgenic tobacco; BADH; CDH; salt stress; cold stress; photoinhibition; 177
Reflection coefficient
water channel; catalase; *Chara corallina*; hydrogen peroxide; permeability coefficient; 2053

Regulation
root; stress; water deficit; water uptake; composite transport; hydraulic conductivity; 1531
tuber formation; chicory; nitrate reductase; phosphorylation; 539
Relative growth rate
specific respiratory costs; *Dactylis glomerata* L.; *Festuca ovina* L.; maintenance; protein turnover;1089
Relaxation time
Scots pine; dry matter content; frost hardiness; impedance spectroscopy; 2095
Resistance
water flow; salts; xylem vessel; 769
Respiration
temperature; thermal acclimation; loblolly pine; *Pinus taeda* L.; 1733
Resurrection plants
octulose; carbohydrate metabolism; *Craterostigma*; 159
Rhizodeposition
defoliation; N-supply; *Festuca rubra*; 1449
Rhizosphere
Fe-deficiency; H^+-ATPase; plasma membrane; proton extrusion; 695
Rhytidiadelphus loreus
Racomitrium lanuginosum; *Anomodon viticulosus*; bryophytes; desiccation tolerance; protein synthesis; 1695
RIA
MAC252; ABA isomers; 305
Ribosomal protein
Tortula ruralis; translation; desiccation; moss; 1655
Rice
Oryza sativa; plant breeding; QTL; marker-aided-selection; salt tolerance; 99
Ricinus communis L.
protein phosphorylation; 14-3-3 proteins; activation state; nitrate reductase; 1099
Ripening
tomato; *Lycopersican esculentum*; endo-β-mannanase; softening; 529
Root
plasma membrane; *Lotus japonicus*; hydraulic conductivity; diurnal cycle; aquaporin; 61
shoot; water potential; variable conductance; evaporative flux method; high pressure flow meter method; hydraulic conductance; 823
stress; water deficit; water uptake; composite transport; hydraulic conductivity; regulation; 1531
Root and shoot growth
water deficit; *Arabidopsis thaliana*; cell division; polyethylene glycol; 555
Root architecture
signalling; lateral roots; nitrate; plasticity; 51
Root hair deformation
nodulation; phenol; Nod factor; lipo-chito-oligosaccharide; soybean; 2045
Root hydraulic architecture
tomato; growth regulation; water use efficiency; root-to-shoot signalling; partial root drying; 1617
Root morphogenesis
Crocus sativus L.; glycoconjugate; proteoglycan; 731
Root system architecture
Prunus persica (L.) Batsch.; O_2-microelectrode; meristem respiration; spatial distribution; 755
Root temperature
growth; high-temperature stress; stomata; chemical signalling; *Capsicum*; 239
Root tip
cell death; cysteine protease; anoxia; 721
Root:shoot communication
translocation; ozone; cotton; carbon allocation; oxidant; air pollution; 919
Root:shoot signalling
abscisic acid; abscisic acid glucose ester; apoplast; β-glucosidase; barley; salt stress; 937
Roots
exodermis; *Allium cepa*; hydraulic conductivity; water channels; aquaporins; mercuric chloride; 547
maize; ABA; K^+ channels; 1585
xylem sap; soil; ABA and ABA glucose ester; *Zea mays* L.; 929
Root-to-shoot signalling
partial root drying; root hydraulic architecture; tomato; growth regulation; water use efficiency; 1617
Rosmarinus officinalis
ultraviolet-B; water stress; drought; *Lavandula stoechas*; Mediterranean vegetation; *Olea europea*; photosynthesis; 1309
Rubisco
elevated CO_2; nitrogen; *Oryza sativa* L.; photosynthesis; 383
Rubisco activase; photosynthesis; model; light; photon flux density; 399
tobacco; chlorophyll fluorescence; Mehler reaction; oxygen exchange; 357
Rubisco activase
photosynthesis; model; light; photon flux density; Rubisco; 399
Rubisco activation state
apple; CO_2 assimilation; leaf N content; *Malus domestica*; 1687
RuBP regeneration
carbon dioxide; nitrogen; photosynthesis; *Triticum aestivum*; carboxylation; 391
Safety factors
stem taper; trees; wind; drag; plants; 797
Salicylic acid
signal transduction; Active oxygen species; calcium; *Nicotiana tabacum*; peroxidase; 685
Salinity
leaf growth; water stress; 1495
sodium pump; *Tetraselmis;* alkalinity; cytoplasmic pH; *Dunaliella*; *Heterosigma*; Na^+-ATPase; membrane potential; Na^+/H^+-antiporter; plasma membrane; *Platymonas*; 1171
Salt stress
cold stress; photoinhibition; recovery; transgenic tobacco; BADH; CDH; 177
root:shoot signalling; abscisic acid; abscisic acid glucose ester; apoplast; β-glucosidase; barley; 937
Spirulina platensis; cyanobacterium; chlorophyll fluorescence; light effect; PSII photochemistry; 911
Salt tolerance
apoplast; maize; leaching; phloem transport; 1721
rice; *Oryza sativa*; plant breeding; QTL; marker-aided-selection; 99
Salts
xylem vessel; resistance; water flow; 769
Scanning electron microscopy
elasticity; fracture; plant ecology; growth strains; 617
Scots pine
dry matter content; frost hardiness; impedance spectroscopy; relaxation time; 2095
Scutellum
germination; *Hordeum vulgare*; peptide transport; 1201
Seasonality
flowering time; annuals; perennials; 1769
Sec system
translocase; thylakoid; proteins; chloroplast; 369
Sec24
Arabidopsis; oxidative stress; 1761
Seed ageing
seed deterioration; seed longevity; sugar hydrolysis; *Vigna radiata*; Amadori reactions; lipid peroxidation; Maillard reactions; 1221
Seed coat
sucrose; amino acids; plasma membrane; proton symport; 1671
turgor; potassium; sucrose-proton antiport; efflux; 1047
Seed deterioration
seed longevity; sugar hydrolysis; *Vigna radiata*; Amadori reactions; lipid peroxidation; Maillard reactions; seed ageing; 1221
Seed development
Abi3; *Em* genes; gene expression; late embryogenesis; 995
cotyledon expansion; microspore-derived embryos; ethylene production; *Brassica napus*; 1851
Seed germination
yellow cedar; coat-imposed dormancy; embryo; megagametophyte; abscisic acid; 1159
Seed longevity
sugar hydrolysis; *Vigna radiata*; Amadori reactions; lipid peroxidation; Maillard reactions; seed ageing; seed deterioration; 1221
Seed production
transgenic tobacco; mannitol; D-ononitol; source-sink disturbance; 115
Seed storage
Azadirachta indica; chilling tolerance; desiccation tolerance; glassy state; 635
Selectable traits
genetic manipulation; cereals; yield; photosynthesis; 447
SEM
tulip bulb; floral development; storage; temperature treatment; geophytes; MRI; 1277
Senescence
antioxidants; controlled atmosphere; ethylene; post-harvest; 645
carnation; *Dianthus caryophyllus*; ethylene production; gynoecium; 2067
meristem; quantitative trait; genome dosage; plant breeding; cladistics; introgression; mapping; 1781
tylosis; pseudovivipary; water; *Poa alpina*; 1067
Sensory organ
trigger; two-rowed barley; anther dehiscence; floret opening; 1319
Sequence
virulence genes; *Agrobacterium tumefaciens*; 1167
Serine acetyltransferase
O-acetyl-L-serine (thiol) lyase; sulphite reductase; long-distance transport; leaf development; poplar trees; glutathione; sulphate; sulphur nutrition; APS reductase; ATP sulphurylase; 1077
Shoot
water potential; variable conductance; evaporative flux method; high pressure flow meter method; hydraulic conductance; root; 823
Shoot growth
flacca; *notabilis*; abscisic acid; ABA; ethylene; 1575
Short-day plant
far-red light; phytochrome A; *Pharbitis nil*; photoperiodism; 703
SiCSA
Daucus carota; solute accumulation; sugar storage; 567
Signal transduction
active oxygen species; calcium; *Nicotiana tabacum*; peroxidase; salicylic acid; 685
Signalling
lateral roots; nitrate; plasticity; root architecture; 51
lipid hydroperoxides; membrane oxidation; 1363
Silicon carbide whiskers
Type II cultures; *Triticum aestivum*; amino-acid nitrogen; cDNA-coated micro-projectiles; 187
Sink–source transition
diurnal growth patterns; carbohydrate; amino acid; chlorophyll; protein; sucrose phosphate synthase; sucrose synthase; drought; leaf growth; 1515
S-inputs
S-mobilization; cereal nutrition; sulphate transporter; sulphur; S-limitation; 131
Site-specific recombination
Arabidopsis; clonal sectors; lineage analysis; FLP recombinase; 853
S-limitation
S-inputs; S-mobilization; cereal nutrition; sulphate transporter; sulphur; 131
S-mobilization
cereal nutrition; sulphate transporter; sulphur; S-limitation; S-inputs; 131
Sodium pump
Tetraselmis; alkalinity; cytoplasmic pH; *Dunaliella*; *Heterosigma*; Na^+-ATPase; membrane potential; Na^+/H^+-antiporter; plasma membrane; *Platymonas*; salinity; 1171
Softening
ripening; tomato; *Lycopersican esculentum*; endo-β-mannanase; 529
Soil
ABA and ABA glucose ester; *Zea mays* L.; roots; xylem sap; 929
light; carrot; cabbage; onion; edge effects; competition; 605
Soil water status
evaporative demand; temperature; maize; leaf expansion rate; cell division rate; cell size; 1505
Solanum tuberosum L.
transgenic plants; potato; elevated carbon dioxide; 429
Solanum tuberosum L. cv. Desireé
gene expression; genomic organization; nitrate reductase; potato; 1017
Solanum tuberosum
potato tuber; invertase; development; carbon metabolism; 439
Solute accumulation
sugar storage; SiCSA; *Daucus carota*; 567

Somatic embryo
time-lapse cell tracking; *Picea abies*; proembryogenic mass; 249
Somatic embryogenesis
extracellular proteins; β-1,3-glucanases; chitinases; osmotin-like proteins; microsequencing; immunoblots; *Cichorium*; leaves; 1189
Sorghum
transgenic; pearl millet; QTL; drought; leaf senescence; productivity; stay-green; mutant; chlorophyll; 329
Source-sink
vascular bundle; promoter; 817
Source-sink disturbance
seed production; transgenic tobacco; mannitol; D-ononitol; 115
Source–sink relationships
inflorescence; heterogeneity; photosynthesis; carbon; partitioning; 1705
Soybean
root hair deformation; nodulation; phenol; Nod factor; lipo-chito-oligosaccharide; 2045
$\delta^{13}C$; $\delta^{15}N$; nodule CO_2 fixation; N_2 fixation; 559
Spatial distribution
root system architecture; *Prunus persica* (L.) Batsch.; O_2-microelectrode; meristem respiration; 755
Specific respiratory costs
Dactylis glomerata L.; *Festuca ovina* L.; maintenance; protein turnover; relative growth rate; 1089
Spectinomycin
Brassica; cell lineage; epidermis; leaf development; 1713
Spirulina platensis
cyanobacterium; chlorophyll fluorescence; light effect; PSII photochemistry; salt stress; 911
Spring wheat
straw height; nitrogen accumulation; nitrogen availability; tiller number; 1921
SSR
barley; abiotic stress; genetic diversity; germplasm collections; 9
Starch
sucrose; water stress; β-amylase; cucumber cotyledon; 739
sucrose; wheat; fructose 2,6-bisphosphate; photosynthesis; 1037
Starch mobilization
translational control; α-amylase; anoxia; 1475
Statocyte
actin; cytoskeleton; immunolocalization; lentil root; pre-embedding technique; 521
Stay-green
mutant; chlorophyll; sorghum; transgenic; pearl millet; QTL; drought; leaf senescence; productivity; 329
Stem taper
trees; wind; drag; plants; safety factors; 797
Stomata
chemical signalling; *Capsicum*; root temperature; growth; high-temperature stress; 239
chlorophyll fluorescence; circadian rhythm; chilling temperatures; leaf gas exchange; 1893
development; epidermis; differentiation; trichome; 497
light environment; CO_2 exchange; transpiration; *Aegopodium podagraria*; stomatal conductance; 1741
oak; *Quercus robur* L.; Fagaceae; water relations; temperature; hydraulic conductance; 1255
Stomatal conductance
stomata; light environment; CO_2 exchange; transpiration; *Aegopodium podagraria*; 1741
stomatal density; water relations; water use efficiency; Mediterranean shrubs; natural CO_2 springs; 1135
Stomatal density
water relations; water use efficiency; Mediterranean shrubs; natural CO_2 springs; stomatal conductance; 1135
Stomatal opening
dual beam irradiation; gas exchange; light signal transduction; phytohormone; 1435
Storage
temperature treatment; geophytes; MRI; SEM; tulip bulb; floral development; 1277
Storage organ
latex allergen; parenchymatous cells; *Beta vulgaris*; 2125
Strain
tomato stem; biomechanics; mecanoperception; thigmomorphogenesis; 1825
Straw height
nitrogen accumulation; nitrogen availability; tiller number; spring wheat; 1921
Strawberries
avocados; photoacoustic spectroscopy; nitric oxide; ethylene; 1471
Stress
drought; nitrogen; *Hordeum spontaneum*; $\delta^{13}C$; $\delta^{15}N$; 41
pea plants; thioredoxins; FBPase; light; temperature; 1299
plant water relations; H^+/ATPase; apoplastic pH; ABA; 147
water deficit; water uptake; composite transport; hydraulic conductivity; regulation; root; 1531
Stress responses
genetic modification; field trials; photosynthesis; chlorophyll; 487
Stress tolerance
transgenic plants; compatible solute; genetic engineering; glycinebetaine; 81
Subcellular dynamics
mitochondrial heterogeneity; mitochondria-targeted GFP; 865
Sucrose
amino acids; cotyledons; plasma membrane; proton symport; 1663
amino acids; plasma membrane; proton symport; seed coat; 1671
water stress; β-amylase; cucumber cotyledon; starch; 739
wheat; fructose 2,6-bisphosphate; photosynthesis; starch; 1037
Sucrose phosphate synthase
sucrose synthase; drought; leaf growth; sink–source transition; diurnal growth patterns; carbohydrate; amino acid; chlorophyll; protein; 1515
sucrose synthase; invertase; *Ipomoea batatas*; osmotic stress; radiotracer study; 1991
Sucrose synthase
alcohol dehydrogenase; sugar-sensing; invertase; 417
drought; leaf growth; sink–source transition; diurnal growth patterns; carbohydrate; amino acid; chlorophyll; protein; sucrose phosphate synthase; 1515
invertase; *Ipomoea batatas*; osmotic stress; radiotracer study; sucrose-phosphate synthase; 1991
Sucrose-proton antiport
efflux; seed coat; turgor; potassium; 1047
Sugar beet
Mak-type kinase; expression; cell division; cell differentiation; 2119
Sugar cane
NMR imaging; localized NMR spectroscopy; metabolite monitoring; 2109
Sugar hydrolysis
Vigna radiata; Amadori reactions; lipid peroxidation; Maillard reactions; seed ageing; seed deterioration; seed longevity; 1221
Sugar storage
SiCSA; *Daucus carota*; solute accumulation; 567
Sugars
amino acids; nitrate; ammonium; capillary electrophoresis; 1147
mannose; *Arabidopsis*; mutants; photosynthesis; 407
Sugar-sensing
invertase; sucrose synthase; alcohol dehydrogenase; 417
Sulphate
sulphur nutrition; APS reductase; ATP sulphurylase; serine acetyltransferase; O-acetyl-L-serine (thiol) lyase; sulphite reductase; long-distance transport; leaf development; poplar trees; glutathione; 1077
Sulphate transporter
sulphur; S-limitation; S-inputs; S-mobilization; cereal nutrition; 131
Sulphite reductase
long-distance transport; leaf development; poplar trees; glutathione; sulphate; sulphur nutrition; APS reductase; ATP sulphurylase; serine acetyltransferase; O-acetyl-L-serine (thiol) lyase; 1077
Sulphur
S-limitation; S-inputs; S-mobilization; cereal nutrition; sulphate transporter; 131
Sulphur nutrition
APS reductase; ATP sulphurylase; serine acetyltransferase; O-acetyl-L-serine (thiol) lyase; sulphite reductase; long-distance transport; leaf development; poplar trees; glutathione; sulphate; 1077
Sunflower
dehydrin transcript; drought stress; day/night cycle; 299
Superoxide dismutase
maize; chilling; oxidative stress; glutathione reductase; 1867
Sweet potato
trypsin inhibitor; dehydroascorbate reductase; glutathione; mitochondria; mung bean; 713
Taxus brevifolia
apoptosis; cell death; centrifugation; *Kalanchoë daigremontiana*; nitric oxide; 1027
Temperature
antioxidants; maize; bundle sheath; mesophyll; 107
DNA markers; oilseed rape; *Brassica napus*; germination; dormancy; 2075
groundnut; flowering; fruit-set; heat stress; 777
hydraulic conductance; stomata; oak; *Quercus robur* L.; Fagaceae; water relations; 1255
maize; leaf expansion rate; cell division rate; cell size; soil water status; evaporative demand; 1505
stress; pea plants; thioredoxins; FBPase; light; 1299
thermal acclimation; loblolly pine; *Pinus taeda* L.; respiration; 1733
Temperature treatment
geophytes; MRI; SEM; tulip bulb; floral development; storage; 1277
Tetraselmis
alkalinity; cytoplasmic pH; *Dunaliella*; *Heterosigma*; Na^+-ATPase; membrane potential; Na^+/H^+-antiporter; plasma membrane; *Platymonas*; salinity; sodium pump; 1171
Theobroma cacao
water stress; critical water potential; desiccation sensitivity; drying rate; recalcitrant seed; 1911
Thermal acclimation
loblolly pine; *Pinus taeda* L.; respiration; temperature; 1733
Thermal time
weeds; base temperature; germination; phenology; 275
Thermotolerance
heat stress; photosynthesis; wheat; mutants; chlorophyll; 139
Thigmomorphogenesis
strain; tomato stem; biomechanics; mecanoperception; 1825
tomato; biomechanics; growth; bending; 1813
Thioredoxins
FBPase; light; temperature; stress; pea plants; 1299
Thlaspi caerulescens
Zn hyperaccumulation; Zn transport; *ZNT1*; Zn transport genes; 71
Thylakoid
proteins; chloroplast; Sec system; translocase; 369
Tiller number
spring wheat; straw height; nitrogen accumulation; nitrogen availability; 1921
Time-lapse cell tracking
Picea abies; proembryogenic mass; somatic embryo; 249
Tobacco
chlorophyll fluorescence; Mehler reaction; oxygen exchange; Rubisco; 357
chloroplast genome; chloroplast transformation; *ycf 9*; *orf 62*; 375
Nicotiana tabacum; cryptogein; cell walls; pectic fibrillar expansions; 1799
Tomato
biomechanics; growth; bending; thigmomorphogenesis; 1813
growth regulation; water use efficiency; root-to-shoot signalling; partial root drying; root hydraulic architecture; 1617
Lycopersicon esculentum; endo-β-mannanase; softening; ripening; 529
Tomato seed
endosperm; β-1,3 glucanase; germination; 1381
Tomato seed germination
abscisic acid; cryo-scanning electron microscopy; endosperm weakening; endo-β-mannanase; 1371
Tomato stem
biomechanics; mecanoperception; thigmomorphogenesis; strain; 1825

Topoisomerase I
cDNA cloning; cell proliferation; *Daucus carota*; heterologous expression; 1979
Torsion
banana; petiole; mechanics; buckling; 2085
Tortula ruralis
translation; desiccation; moss; ribosomal protein; 1655
Tradescantia fluminensis L.
wall-loosening; auxin; IAA; calcium redistribution; gravitropic growth; growth-associated depositions (GAD); osmiophilic particles (OPs); 579
Trait analysis phenocentric
phenotype gap; plant genome; genomics; marker technology; 1
Transformation
uvh1 mutant; phytohormones; *Agrobacterium tumefaciens*; *Arabidopsis thaliana* ecotypes; 1961
Transgenic
embryogenesis; LEA; promoter; 1211
pearl millet; QTL; drought; leaf senescence; productivity; stay-green; mutant; chlorophyll; sorghum; 329
Transgenic plants
compatible solute; genetic engineering; glycinebetaine; stress tolerance; 81
potato; elevated carbon dioxide; *Solanum tuberosum* L.; 429
Transgenic tobacco
BADH; CDH; salt stress; cold stress; photoinhibition; recovery; 177
mannitol; D-ononitol; source-sink disturbance; seed production; 115
Translation
desiccation; moss; ribosomal protein; *Tortula ruralis*; 1655
Translation initiation factor
barley; eIF2B; Fe-deficiency; iron; 2001
Translational control
α-amylase; anoxia; starch mobilization; 1475
Translocase
thylakoid; proteins; chloroplast; Sec system; 369
Translocation
ozone; cotton; carbon allocation; oxidant; air pollution; root:shoot communication; 919
wheat; genotypic variation; radiolabelled Cd; uptake; 221
Transpiration
Aegopodium podagraria; stomatal conductance; stomata; light environment; CO_2 exchange; 1741
Transporter
uptake; expression screening; yeast; 955
Trees
wind; drag; plants; safety factors; stem taper; 797
Trichome
stomata; development; epidermis; differentiation; 497
Trifolium repens
Lolium perenne; nitrogen fixation; nitrogen uptake; growth rates; plant size; C:N ratios; 1879
Trigger
two-rowed barley; anther dehiscence; floret opening; sensory organ; 1319
Triticum aestivum
amino-acid nitrogen; cDNA-coated micro-projectiles; silicon carbide whiskers; Type II cultures; 187
carboxylation; RuBP regeneration; carbon dioxide; nitrogen; photosynthesis; 391
Trypsin inhibitor
dehydroascorbate reductase; glutathione; mitochondria; mung bean; sweet potato; 713
Tsuga canadensis
Nicotiana rustica; pressure bomb; embolism; 309
Tuber formation
chicory; nitrate reductase; phosphorylation; regulation; 539
Tuber growth
on-line measurement; controlled environments; potato; laser micrometer; 961
Tuberization
Zantedeschia; calla; dormancy; MRI; 2009
β-Tubulin
controlled deterioration; germination; K_i; rate of deterioration ($1/\sigma$); 4C DNA; *Brassica oleracea* var. *botrytis*; 2031
Tulip
cold treatment; auxin; gibberellin; mathematical model; 587
Tulip bulb
floral development; storage; temperature treatment; geophytes; MRI; SEM; 1277
Turgor
potassium; sucrose-proton antiport; efflux; seed coat; 1047
Turgor pressure
pod wall; water stress; irrigation; 895
Two-rowed barley
anther dehiscence; floret opening; sensory organ; trigger; 1319
Tylosis
pseudovivipary; water; *Poa alpina*; senescence; 1067
Type II cultures
Triticum aestivum; amino-acid nitrogen; cDNA-coated micro-projectiles; silicon carbide whiskers; 187
Tyrosine phosphorylation
abscisic acid; ABA; guard cells; mitogen activated protein kinases; MAPKs; PD98059; 197
Ultraviolet-B
water stress; drought; *Lavandula stoechas*; Mediterranean vegetation; *Olea europea*; photosynthesis; *Rosmarinus officinalis*; 1309
Ultraviolet-B radiation
atrazine; *Brassica napus*; D1 protein; fluorescence; herbicide tolerance; oxygen evolution; photoinhibition; 265
Uptake
expression screening; yeast; transporter; 955
translocation; wheat; genotypic variation; radiolabelled Cd; 221
Ureide degradation
allantoate amidohydrolase; boric acid; water deficit; 1459
uvh1 mutant
phytohormones; *Agrobacterium tumefaciens*; *Arabidopsis thaliana* ecotypes; transformation; 1961
Vacuolar pH
ammonium efflux; cytoplasmic pH; GS/GOGAT pathway; NMR spectroscopy; 207
Vacuole
Arabidopsis; calcium signature; cold acclimation; aequorin; 1679
Variable conductance
evaporative flux method; high pressure flow meter method; hydraulic conductance; root; shoot; water potential; 823
Vascular bundle
promoter; source-sink; 817
Vascularization
water and solute transport; *Agrobacterium tumefaciens*; phytohormone-directed vascular differentiation; plant and animal/human tumours; 1951
Ventilation
abscisic acid; *in vitro*; micropropagation; field survival; 1861
Vetch
cotyledons; cysteine proteinases; embryonic axis; germination; globulin mobilization; 1423
Vicia faba
abscisic acid; guard cell; gene expression; 1479
osmoregulation; plasma membrane; ion transporters; 1243
Vigna radiata
Amadori reactions; lipid peroxidation; Maillard reactions; seed ageing; seed deterioration; seed longevity; sugar hydrolysis; 1221
Virulence genes
Agrobacterium tumefaciens; sequence; 1167
Vitamin C
antioxidants; ascorbate; biosynthesis; metabolism; 669
Vitis vinifera
fruit; invertase; NADP-malic enzyme; phosphoenolpyruvate carboxylase; glutamine synthetase; 675
V-type H^+-ATPase
arbuscular mycorrhizas; plasma membrane; 2D-PAGE; endomycorrhizins; 747
Wall loosening
xyloglucan endotransglycosylase; drought; expansin; peroxidase; water deficits; 1543
auxin; IAA; calcium redistribution; gravitropic growth; growth-associated depositions (GAD); osmiophilic particles (OPs); *Tradescantia fluminensis* L.; 579
Wall properties
elastic effects; cell walls; cell enlargement; 1481
Water
Poa alpina; senescence; tylosis; pseudovivipary; 1067
Water and solute transport
Agrobacterium tumefaciens; phytohormone-directed vascular differentiation; plant and animal/human tumours; vascularization; 1951
Water channel
catalase; *Chara corallina*; hydrogen peroxide; perm .ability coefficient; reflection coefficient; 2053
Water channels
aquaporins; mercuric chloride; roots; exodermis; *Allium cepa*; hydraulic conductivity; 547
Water deficit
Arabidopsis thaliana; cell division; polyethylene glycol; root and shoot growth; 1555
ureide degradation; allantoate amidohydrolase; boric acid; 1459
water uptake; composite transport; hydraulic conductivity; regulation; root; stress; 1531
Water deficits
wall loosening; xyloglucan endotransglycosylase; drought; expansin; peroxidase; 1543
Water flow
salts; xylem vessel; resistance; 769
Water potential
variable conductance; evaporative flux method; high pressure flow meter method; hydraulic conductance; root; shoot; 823
Water relations
temperature; hydraulic conductance; stomata; oak; *Quercus robur* L.; Fagaceae; 1255
water use efficiency; Mediterranean shrubs; natural CO_2 springs; stomatal conductance; stomatal density; 1135
Water stress
β-amylase; cucumber cotyledon; starch; sucrose; 739
critical water potential; desiccation sensitivity; drying rate; recalcitrant seed; *Theobroma cacao*; 1911
drought; *Lavandula stoechas*; Mediterranean vegetation; *Olea europea*; photosynthesis; *Rosmarinus officinalis*; ultraviolet-B; 1309
irrigation; turgor pressure; pod wall; 895
salinity; leaf growth; 1495
Water transport
flow quantification; xylem; NMR imaging; propagator; 1751
Water uptake
composite transport; hydraulic conductivity; regulation; root; stress; water deficit; 1531
Water use efficiency
Mediterranean shrubs; natural CO_2 springs; stomatal conductance; stomatal density; water relations; 1135
root-to-shoot signalling; partial root drying; root hydraulic architecture; tomato; growth regulation; 1617
Waterlogging
anaerobic conditions; flooding tolerance; molecular strategies; crop plants; 89
Weeds
base temperature; germination; phenology; thermal time; 275
Went
auxin; gravitropism; mutants; Cholodny; 1323
Wetland plants
anaerobiosis; aquatic plants; cytoplasmic acidification; ethanolic fermentation; nuclear magnetic resonance (NMR) spectroscopy; Pasteur effect; 1413
Wheat
fructose 2,6-bisphosphate; photosynthesis; starch; sucrose; 1037
genotypic variation; radiolabelled Cd; uptake; translocation; 221
mutants; chlorophyll; thermotolerance; heat stress; photosynthesis; 139
Wheat breeding
yield potential; radiation use efficiency; photosynthesis; genetic modification; 459
Wheat endosperm
amyloplasts; protrusions; B-type starch granules; CLSM; 1357
Whole cells
ATP/reductant balance; Calvin cycle; photosynthesis; 347
Wild barley
Hordeum spontaneum; molecular markers; abiotic stress; molecular breeding; cultivated barley; *Hordeum vulgare*; 19

Wind
drag; plants; safety factors; stem taper; trees; 797
Wounding
indole-3-acetic acid; lipids; lipid hydroperoxides; mitosis; 1267
Xylem
NMR imaging; propagator; water transport; flow quantification; 1751
Xylem sap
soil; ABA and ABA glucose ester; *Zea mays* L.; roots; 929
Xylem vessel
resistance; water flow; salts; 769
Xylogenesis
cell wall proteins; compression wood; lignification; *Picea*; 1395
Xyloglucan endotransglycosylase
coleoptile elongation; *Hordeum vulgare*; 847
drought; expansin; peroxidase; water deficits; wall loosening; 1543
ycf 9
orf 62; tobacco; chloroplast genome; chloroplast transformation; 375
Yeast
transporter; uptake; expression screening; 955
Yellow cedar
coat-imposed dormancy; embryo; megagametophyte; abscisic acid; seed germination; 1159
Yield
photosynthesis; selectable traits; genetic manipulation; cereals; 447
Yield potential
radiation use efficiency; photosynthesis; genetic modification; wheat breeding; 459
Yield threshold
hydraulic isolation of growth zone; leaky cable model of root water uptake; expansive growth; 1595
Zabrotes subfasciatus
arcelin; bruchid resistance; Mexican bean weevil; *Phaseolus*; 1229
Zantedeschia
calla; dormancy; MRI; tuberization; 2009
Zea mays L.
roots; xylem sap; soil; ABA and ABA glucose ester; 929
Zinc toxicity
Lolium perenne; *Acremonium lolii*; antioxidant enzymes; chlorophyll *a* fluorescence; 945
Zn hyperaccumulation
Zn transport; *ZNT1*; Zn transport genes; *Thlaspi caerulescens*; 71
Zn transport
ZNT1; Zn transport genes; *Thlaspi caerulescens*; Zn hyperaccumulation; 71
Zn transport genes
Thlaspi caerulescens; Zn hyperaccumulation; Zn transport; *ZNT1*; 71
ZNT1
Zn transport genes; *Thlaspi caerulescens*; Zn hyperaccumulation; Zn transport; 71